



LS-710



LS-910

Specifications

- * 110-240V,50/60Hz 1500-2200W
- * 2. 0L plastic jug for commercial use
- * 95 series copper motor(durable usage life)
- * High blending speed 25000RPM to 32000RPM
- * Classic design with ABS housing
- * 6/8 leaves SUS blades crush ice cubes in seconds
- * Auto power off when container removed
- * Over-heat and over current protection
- * High effective and durable PCB board
- * Low noise 80+5dB



LS-P05
3. 9 Liters



LS-P05
3. 0 Liters

Specifications

- * 110-240V,50/60Hz 1800-2000W
- * 3.0L&3.9 plastic jug
- * 95 series copper motor(durable usage life)
- * High blending speed 25000RPM to 28000RPM
- * Classic design with ABS housing
- * 6 leaves SUS blades crush ice cubes in seconds
- * Auto power off when container removed
- * Over-heat and over current protection
- * High effective and durable PCB board
- * Low noise 80+5dB



LS-69



LS-69



Specifications

- * 110-240V,50/60Hz 1000-1500W
- * 2.0L plastic jug
- * 95 series copper motor(durable usage life)
- * High blending speed 22000RPM to 25000RPM
- * Classic design with ABS housing
- * 6 leaves SUS blades crush ice cubes in seconds
- * Auto power off when container removed
- * Over-heat and over current protection
- * High effective and durable PCB board
- * Low noise 80+5dB



LS-P08



Specifications

- * 110-240V,50/60Hz 1500W
- * 2.0L capacity plastic jug
- * 95 series copper motor(durable usage life)
- * High blending speed 22000RPM to 25000RPM
- * Classic design with ABS/PP housing
- * 6 leaves SUS blades crush ice cubes in seconds
- * Auto power off when container removed
- * Over-heat and over current protection
- * High effective and durable PCB board
- * Low noise 80+5dB



LS-P01



LS-P02



Specifications

- * 110-240V,50/60Hz 1200-1500W
- * Big capacity plastic jug for commercial use
- * 95 series copper motor(durable usage life)
- * High blending speed 22000RPM to 25000RPM
- * Classic design with ABS housing
- * 6/8 leaves SUS blades crush ice cubes in seconds
- * Auto power off when container removed
- * Over-heat and over current protection
- * High effective and durable PCB board
- * Low noise 80±5dB

LS-888
4.0LLS-838
2.5L

Specifications

- * 110-240V,50/60Hz 1800-2200W
- * Big capacity plastic jug for commercial use
- * 95 series copper motor(durable usage life)
- * High blending speed 25000RPM to 32000RPM
- * Classic design with ABS housing
- * 6/8 leaves SUS blades crush ice cubes in seconds
- * Auto power off when container removed
- * Over-heat and over current protection
- * High effective and durable PCB board
- * Low noise 80±5dB



LS-P06

LS-P07

Specifications

- * 110-240V,50/60Hz 1200W-1500W
- * 2.0L plastic jug
- * 95 series copper motor(durable usage life)
- * High blending speed 22000RPM to 25000RPM
- * Classic design
- * 6 leaves SUS blades crush ice cubes in seconds
- * Auto power off when container removed
- * Over-heat and over current protection
- * High effective and durable PCB board
- * Low noise 80±5dB



LS-P03

Specifications

- * 110-240V,50/60Hz 1000-1500W
- * 2.0L plastic jug
- * 95 series copper motor(durable usage life)
- * High blending speed 22000RPM to 25000RPM
- * Classic design with ABS housing
- * 6 leaves SUS blades crush ice cubes in seconds
- * Auto power off when container removed



LS-TB102

Specifications

- * 110-240V,50/60Hz, 350W
- * 1500ml blender capacity
- * 2 in 1 function with blender and grinder
- * Two speed and a pulse for easy operating
- * SUS 4 leaves blades



LS-3010

Specifications

- * 110-240V,50/60Hz 300W-500W
- * 600ml Tritan bottle, BPA free
- * Full copper cord motor(durable usage life)
- * St.St.blades, ABS housing with SS decoration
- * Rotary knob with 2 speeds and pulse
- * 20'/40'/40HQ: 2712/5430/6150pcs
- * Cert: GS/CE/CB/EMC/ERP/LFGB/PaHs
- * Optional: grinder, travel bottle 600 &400ml, 1.2L jar



LS-3007

Specifications

- * 110-240V,50/60Hz 300W-500W
- * 600ml Tritan bottle, BPA free
- * Full copper cord motor(durable usage life)
- * St.St.blades, ABS housing with SS decoration
- * Rotary knob with 2 speeds and pulse
- * 20'/40'/40HQ: 2712/5430/6150pcs
- * Cert: GS/CE/CB/EMC/ERP/LFGB/PaHs
- * Optional: grinder, travel bottle 600 &400ml, 1.2L jar



LS-3008

LS-3015

Specifications

- * 110-240V,50/60Hz 300W-500W
- * 600ml Tritan bottle, BPA free
- * Full copper cord motor(durable usage life)
- * St.St.blades, ABS housing with SS decoration
- * Rotary knob with 2 speeds and pulse
- * 20'/40'/40HQ: 2712/5430/6150pcs
- * Cert: GS/CE/CB/EMC/ERP/LFGB/PaHs
- * Optional: grinder, travel bottle 600 &400ml, 1.2L jar



LS-XY02

Specifications

- * 110-240V,50/60Hz 300W
- * 500ml jug jug, 1.0L pomace container
- * Full copper cord motor(durable usage life)
- * St.St.cutting knife, St.St. housing
- * Rotary knob with 2 speeds



LS-Q7

5.2 Liters



LS-Q8

6.5 Liter



Specifications

- * 110-240V,50/60Hz 1800-2200W
- * Big capacity plastic jug for commercial use
- * 95 series copper motor(durable usage life)
- * High blending speed 28000RPM to 32000RPM
- * Classic design with ABS housing
- * 6/8 leaves SUS blades crush ice cubes in seconds
- * Auto power off when container removed
- * Over-heat and over current protection
- * High effective and durable PCB board
- * Low noise 80±5dB



LS-8001M



LS-8001E



Specifications

- * 110-240V,50/60Hz 1500W
- * 2.0L plastic jug for commercial use
- * 95 series copper motor(durable usage life)
- * High blending speed 25000RPM to 32000RPM
- * Classic design with ABS housing
- * 6/8 leaves SUS blades crush ice cubes in seconds
- * Auto power off when container removed
- * Over-heat and over current protection
- * High effective and durable PCB board
- * Low noise 80±5dB



LS-901



LS-902

Specifications

- * Glass jar in 1.75L cold, 1.40L hot
- * Blending 1000W, Heating 800W
- * Copper motor 95 series, 25000-32000RPM
- * St.st. carbon alloy 8 leaves laser cutting knife
- * power off when the jar or cover is removed
- * Plastic housing, color is customerized
- * Digital display to show working time and speed
- * Heating mode(DIY milk, soup etc.) and blending model(ice crush, smoothie etc.)
- * NSK bearing, imported oil seal



LS-905

Specifications

- * Glass jar in 1.75L cold, 1.40L hot
- * Blending 1000W, Heating 800W
- * Copper motor 95 series, 25000-32000RPM
- * St.st. carbon alloy 8 leaves laser cutting knife
- * power off when the jar or cover is removed
- * Plastic housing, color is customerized
- * Digital display to show working time and speed
- * Heating mode(DIY milk, soup etc.) and blending model(ice crush, smoothie etc.)
- * NSK bearing, imported Taiwan oil seal



LS-903



LS-FC18



LS-FC18S

Specifications

- * 300W
- * Transparent glass bowl 1500ml capacity
- * 2 speeds control for expecting operation
- * Strong S/S blades in efficiency and smoothie for ingredients
- * Completed removable bowl for easy cleaning
- * Multi-functions for grinding, finely shredding, coarsely cutting



LS-FC19



LS-FC19S

Specifications

- * 300W
- * Transparent glass bowl 1500ml capacity
- * 2 speeds control for expecting operation
- * Strong S/S blades in efficiency and smoothie for ingredients
- * Completed removable bowl for easy cleaning
- * Multi-functions for grinding, finely shredding, coarsely cutting