




— SINCE 2008 —

2022 NEW PRODUCT

COLLECTION ▶▶



• All parameters have been carefully checked and, if there are printing errors or omissions, the Company reserves the final interpretation.
• Product photos and in-kind, if there is a difference between the real product.



RoHS


ERP

LVD


EMC

IEC/REACH

CERTIFICATES



Let the kitchen add different colors!



Model: ALP-DC99



120V,60Hz,1500W/220-240V,50/60Hz,2000W
Soft Touch Control Induction Cooker
Plate size(mm):Φ 250

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DC99	Φ250	300*300*76	340*110*388	675*355*406(6pcs)	1728	3580	4197



Model: ALP-DT341

220-240V, 50/60Hz, 2000W
 Push Button Control Infrared Cooker
 Plate size(mm): 250*250

CB CE LVD EMC ROHS REACH



Model: ALP-DT209

220-240V, 50/60Hz, 2000W
 Push Button Control Infrared Cooker
 Plate size(mm): 260*260

CB CE LVD EMC ROHS REACH



Model: ALP-DT314

220-240V, 50/60Hz, 2000W
 Push Button Control Infrared Cooker
 Plate size(mm): 260*260

CB CE LVD EMC ROHS REACH



Model: ALP-DC20

120V, 60Hz, 1800W
 Soft Touch Control Induction Cooker
 Stainless Steel Body
 Plate size(mm): 320*390

Intertek IEC



Model: ALP-C01D/C01DH

120V/1800W, 240V/3500W, 60Hz
 220~240V, 50/60Hz, 2850~3100W/3300~3700W
 Remote Control Induction Cooker
 Stainless Steel Body
 Plate size(mm): 300*300

Intertek CE LVD EMC RoHS REACH IEC



Model: ALP-C02D/C02DH

120V/1800W, 240V/3500W, 60Hz
 220~240V, 50/60Hz, 2850~3100W/3300~3700W
 Push Button Control Induction Cooker
 Stainless Steel Body
 Plate size(mm): 300*300

Intertek CE LVD EMC RoHS REACH IEC

Model	Plate size(MM)	Product size(MM)	G. B Size(MM)	C. B Size(MM)	20GP	40GP	40HQ	Model	Plate size(MM)	Product size(MM)	G. B Size(MM)	C. B Size(MM)	20GP	40GP	40HQ
ALP-DT341	250*250	280*350*62	316*90*395	558*330*410(6pcs)	2225	4609	5403	ALP-DC20	320*390	320*390*75	380*120*457	510*400*500(4pcs)	1078	2254	2647
ALP-DT209	260*260	280*360*64	312*88*392	544*327*406(6pcs)	2285	4778	5609	ALP-C01D/C01DH	300*300	350*350*110	410*420*175	440*385*440(2pcs)	738	1543	1812
ALP-DT314	260*260	280*360*51	312*85*415	525*327*433(6pcs)	2220	4643	5450	ALP-C02D/C02DH	300*300	440*355*110	520*425*170	445*360*545(2pcs)	630	1317	1546



Model: ALP-C05D

220-240V, 50/60Hz, 3500W
Push Button Control Induction Cooker
Stainless Steel Body
Plate size(mm):280*280



Model: ALP-C05D-A

220-240V, 50/60Hz, 3500W
Push Button Control Induction Cooker
Stainless Steel Body
Plate size(mm):Φ277



Model: ALP-C06D

220-240V, 50/60Hz, 3500W
Knob Control Induction Cooker
Stainless Steel Body
Plate size(mm):280*280



Model: ALP-C06D-A

220-240V, 50/60Hz, 3500W
Knob Control Induction Cooker
Stainless Steel Body
Plate size(mm):Φ277



Model: ALP-C08D

220-240V, 50/60Hz, 5000W
Knob Control Induction Cooker
Stainless Steel Body
Plate size(mm): 300*300



Model: ALP-C08D-A

220-240V, 50/60Hz, 5000W
Knob Control Induction Cooker
Stainless Steel Body
Plate size(mm):Φ310

Model	Plate size(MM)	Product size(MM)	G. B Size(MM)	20GP	40GP	40HQ	Model	Plate size(MM)	Product size(MM)	G. B Size(MM)	20GP	40GP	40HQ
ALP-C05D	280*280	450*345*130	520*430*195(1pc)	642	1330	1559	ALP-C06D-A	Φ277	450*345*147	520*430*195(1pc)	642	1330	1559
ALP-C05D-A	Φ277	450*345*147	520*430*195(1pc)	642	1330	1559	ALP-C08D	300*300	500*405*195	490*600*270(1pc)	353	731	857
ALP-C06D	280*280	450*345*130	520*430*195(1pc)	642	1330	1559	ALP-C08D-A	Φ310	500*405*205	490*600*285(1pc)	334	692	812



Model: ALP-CX002

220-240V, 50/60Hz, 3500W+3500W
Sensor Touch Control Induction Cooker
Stainless Steel Body
Plate size(mm):280*280



Model: ALP-CA002

220-240V, 50/60Hz, 3500W+3500W
Sensor Touch Control Induction Cooker
Stainless Steel Body
Plate size(mm): Left:280*280 Right: Φ277



Model: ALP-CX008

220-240V, 50/60Hz, 3500W+3500W
Sensor Touch Control Induction Cooker
Stainless Steel Body
Plate size(mm):328*569

Almighty mobile kitchenette on the desktop

Independent temperature control on both sides

Special large bakeware | Low power continuous heating

Intelligent linkage



Model: ALP-DIC190

220-240V, 50/60Hz/1800W+1800W
Double Induction Cooker+Bakeware
Product Type: Tabletop
Power Sharing For Option
Plate size(mm):600*300



Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	20GP	40GP	40HQ
ALP-CX002	280*280	750*430*145	790*470*196(1pc)	385	797	935
ALP-CA002	Left:280*280 Right: Φ277	750*430*156	790*470*196(1pc)	385	797	935
ALP-CX008	328*569	328*569*113	765*440*130(1pc)	640	1325	1554

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC190	600*300	610*310*55	620X400X105	640X230X420(2pcs)	905	1876	2199



Model: ALP-DIC200

220-240V, 50/60Hz
Soft Touch Control Double Induction Cooker
Product Type: Built-in/Tabletop
Power Sharing For Option
Plate size(mm): 730*430
Built-in size(mm): 665*362
*400W Low Power Continuous Heating
*Left power: 2200W, Power boost 2500W
*Right power: 2200W, Power boost 2500W
*Total Power 3600W



Model: ALP-DIC08A

120V, 60Hz, 1800W(1800W+1800W)
Soft Touch Control Double Induction Cooker
Product Type: Tabletop
Temperature Range: 140°F-460°F
Plate size(mm): 660*390



Model: ALP-DIC16

120V, 60Hz, 1800W(1800W+1800W)
220-240V, 50/60Hz, 2000W+2000W
Soft Touch Control Double Induction Cooker
Product Type: Tabletop
Temperature Range: 140°F-460°F
Plate size(mm): 600*360



LVD EMC EMF

UKCA



Model: ALP-DIC111/DIC111H

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Induction Cooker
Product Type: Tabletop
Plate size(mm): 660*390

CE

LVD EMC EMF


RoHS

ERP REACH UKCA

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC08A	660*390	660*390*75	735*115*460	755*255*485(2pcs)	589	1232	1446
ALP-DIC16	600*360	600*360*66	650*125*450	670*275*475(2pcs)	628	1314	1542
ALP-DIC111/DIC111H	660*390	660*390*65	730*110*452	745*235*466(2pcs)	674	1408	1654
ALP-DIC200	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080

Model: ALP-DIC142

120V, 60Hz, 1800W(1800W+1800W)
Soft Touch Control Double Induction Cooker
Product Type: Built In/Tabletop
Plate size(mm): 600*390
Built-in Size(mm): 580*370



CE, FC, CE, LVD, EMC

EMF, RoHS, REACH



Model: ALP-DIC112/DIC112H

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Induction Cooker
Product Type: Tabletop
Plate size(mm): 600*360

CE, LVD, EMC, EMF

RoHS, ERP, REACH, UKCA



Model: ALP-DIC05

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Induction Cooker
Product Type: Tabletop
Plate size(mm): 290*285

CB, CE, LVD, EMC, EMF

RoHS, ERP, REACH, UKCA



Model: ALP-DIC148

220-240V, 50/60Hz, 1800W+1800W
Push Button Control Double Induction Cooker
Power Sharing For Option
Plate size(mm): 280*280

CE, LVD, EMC, EMF

RoHS, ERP, REACH, UKCA



Model: ALP-DIC126

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Induction Cooker
Product Type: Tabletop
Plate size(mm): 289*274

CE, LVD, EMC, EMF

RoHS, ERP, REACH, UKCA



Model: ALP-DIC166

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Induction Cooker
Product Type: Tabletop
Plate size(mm): 690*420

CE, LVD, EMC, EMF

RoHS, ERP, REACH, UKCA



Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ	Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC112/DIC112H	600*360	600*360*64	638*98*452	653*214*467(2pcs)	843	1763	2070	ALP-DIC148	280*280	598*360*65	633*88*412	648*192*427(2pcs)	1054	2184	2561
ALP-DIC142	600*390	600*390*95	640*440*125	660*460*280(2pcs)	647	1352	1588	ALP-DIC126	289*274	604*360*64	640*90*420	655*195*435(2pcs)	990	2072	2432
ALP-DIC05	290*285	660*390*75	710*95*442	725*205*457(2pcs)	810	1693	1988	ALP-DIC166	690*420	690*420*64	740*115*475	755*250*495(2pcs)	599	1241	1456




Model: ALP-DIC108

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Induction Cooker
Product Type: Tabletop
Power Sharing For Option
Plate size(mm): Φ 250




Model: ALP-DIC103

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Induction Cooker
Product Type: Tabletop
Power Sharing For Option
Plate size(mm): 660*390




Model: ALP-DCF108

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Combined Double Cooker
Product Type: Tabletop
Power Sharing For Option
Plate size(mm): Φ 250



Model: ALP-DCF103

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Combined Double Cooker
Product Type: Tabletop
Power Sharing For Option
Plate size(mm): 660*390



Model: ALP-DIF108

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Infrared Cooker
Product Type: Tabletop
Power Sharing For Option
Plate size(mm): Φ 250



Model: ALP-DIF103

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Infrared Cooker
Product Type: Tabletop
Power Sharing For Option
Plate size(mm): 660*390


Model	Plate size(MM)	Product size(MM)	G. B Size(MM)	C. B Size(MM)	20GP	40GP	40HQ
ALP-DIC108	Φ 250	660*390*75	730*110*452	745*235*466(2pcs)	674	1408	1654
ALP-DCF108	Φ 250	660*390*75	730*110*452	745*235*466(2pcs)	674	1408	1654
ALP-DIF108	Φ 250	660*390*75	730*110*452	745*235*466(2pcs)	674	1408	1654

Model	Plate size(MM)	Product size(MM)	G. B Size(MM)	C. B Size(MM)	20GP	40GP	40HQ
ALP-DIC103	660*390	660*390*75	730*110*452	745*235*466(2pcs)	674	1408	1654
ALP-DCF103	660*390	660*390*75	730*110*452	745*235*466(2pcs)	674	1408	1654
ALP-DIF103	660*390	660*390*75	730*110*452	745*235*466(2pcs)	674	1408	1654





Model: ALP-DIC101

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Induction Cooker
Product Type: Built In/Tabletop
Power Sharing For Option
Plate size(mm): 680*380
Built-in(mm): 340*640




Model: ALP-DIC12-1

220-240V, 50/60Hz, 2000W+2000W
Soft Touch Control Double Induction Cooker
Product Type: Built In/Tabletop
Power Sharing For Option
Plate size(mm): 680*380
Built-in size(mm): 340*640



Model: ALP-DCF101

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Combined Double Cooker
Product Type: Built In/Tabletop
Power Sharing For Option
Plate size(mm): 680*380
Built-in(mm): 340*640




Model: ALP-DIC12/DIC12H

220-240V, 50/60Hz, 2800W/3600W(1800W+1800W)
220-240V, 50/60Hz, 2000W+2000W
Soft Touch Control Combined Double Cooker
Product Type: Built In/Tabletop
Power Sharing For Option
Plate size(mm): 680*380
Built-in size(mm): 340*640



Model: ALP-DIF101

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Infrared Cooker
Product Type: Built In/Tabletop
Power Sharing For Option
Plate size(mm): 680*380
Built-in(mm): 340*640



Model: ALP-DIF12


220-240V, 50/60Hz, 2000W+2000W
Soft Touch Control Double Infrared Cooker
Product Type: Built In/Tabletop
Power Sharing For Option
Plate size(mm): 680*380
Built-in size(mm): 340*640

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ	Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC101	680*380	680*380*75	740*115*442	755*245*457(2pcs)	650	1360	1597	ALP-DIC12-1	680*380	680*380*75	740*115*442	755*245*457(2pcs)	650	1360	1597
ALP-DCF101	680*380	680*380*75	740*115*442	755*245*457(2pcs)	650	1360	1597	ALP-DIC12/DIC12H	680*380	680*380*75	740*115*442	755*245*457(2pcs)	650	1360	1597
ALP-DIF101	680*380	680*380*75	740*115*442	755*245*457(2pcs)	650	1360	1597	ALP-DIF12	680*380	680*380*75	740*115*442	755*245*457(2pcs)	650	1360	1597



Model:ALP-DIC109

220-240V, 50/60Hz,2000W+2000W
Soft Touch Control Double Induction Cooker
Product Type:Built In/Tabletop
Plate size(mm):Φ250
Built-in size(mm): 670*385




CE LVD EMC EMF
RoHS REACH




Model: ALP-DIC104

220-240V, 50/60Hz,2000W+2000W
Soft Touch Control Double Induction Cooker
Product Type:Built In/Tabletop
Plate size(mm):730*430
Built-in size(mm): 670*385




CE LVD EMC EMF
RoHS REACH



Model:ALP-DCF109

220-240V, 50/60Hz,2000W+2000W
Soft Touch Control Combined Double Cooker
Product Type:Built In/Tabletop
Plate size(mm):Φ250
Built-in size(mm): 670*385

CB CE LVD EMC EMF
RoHS REACH



Model: ALP-DCF104


220-240V, 50/60Hz,2000W+2000W
Soft Touch Control Combined Double Cooker
Product Type:Built In/Tabletop
Plate size(mm):730*430
Built-in size(mm): 670*385

CB CE LVD EMC EMF
RoHS REACH



Model:ALP-DIF109

220-240V, 50/60Hz,2000W+2000W
Soft Touch Control Double Infrared Cooker
Product Type:Built In/Tabletop
Plate size(mm):Φ250
Built-in size(mm): 670*385



Model: ALP-DIF104


220-240V, 50/60Hz,2000W+2000W
Soft Touch Control Double Infrared Cooker
Product Type:Built In/Tabletop
Plate size(mm):730*430
Built-in size(mm): 670*385

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ	Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC109	Φ250	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080	ALP-DIC104	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080
ALP-DCF109	Φ250	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080	ALP-DCF104	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080
ALP-DIF109	Φ250	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080	ALP-DIF104	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080





Model: ALP-DIC161

220-240V, 50/60Hz, 2000W+2000W
 Soft Touch Control Double Induction Cooker
 Product Type: Built In/Tabletop
 Power Sharing For Option
 Plate size(mm): 730*430
 Built-in size(mm): 670*385




Model: ALP-DIC163

220-240V, 50/60Hz, 2000W+2000W
 Soft Touch Control Double Induction Cooker
 Product Type: Built In/Tabletop
 Power Sharing For Option
 Plate size(mm): 730*430
 Built-in size(mm): 670*385



Model: ALP-DCF161

220-240V, 50/60Hz, 2000W+2000W
 Soft Touch Control Combined Double Cooker
 Product Type: Built In/Tabletop
 Power Sharing For Option
 Plate size(mm): 730*430
 Built-in size(mm): 670*385



Model: ALP-DCF163

220-240V, 50/60Hz, 2000W+2000W
 Soft Touch Control Combined Double Cooker
 Product Type: Built In/Tabletop
 Power Sharing For Option
 Plate size(mm): 730*430
 Built-in size(mm): 670*385



Model: ALP-DIF161

220-240V, 50/60Hz
 Soft Touch Control Double Infrared Cooker
 Product Type: Built In/Tabletop
 Power Sharing For Option
 Plate size(mm): 730*430
 Built-in size(mm): 670*385



Model: ALP-DIF163



220-240V, 50/60Hz, 2000W+2000W
 Soft Touch Control Double Infrared Cooker
 Product Type: Built In/Tabletop
 Power Sharing For Option
 Plate size(mm): 730*430
 Built-in size(mm): 670*385

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ	Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC161	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080	ALP-DIC163	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080
ALP-DCF161	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080	ALP-DCF163	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080
ALP-DIF161	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080	ALP-DIF163	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080




Model: ALP-DIC30

CB:220-240V,50/60Hz,3000W
 ETL:120V,60Hz,1800W
 Soft Touch Control Double Induction Cooker
 Product Type:Built In/Tabletop
 Plate size(mm):290*520
 Built-in Size(mm):490*260





Model: ALP-DCF30

220-240V,50/60Hz,3000W
 Soft Touch Control Combined Double Cooker
 Product Type:Built In/Tabletop
 Plate size(mm):290*520
 Built-In Size(mm):490*260




Model: ALP-DIF30

220-240V, 50/60Hz,1800W(Front)+1200W(Rear)
 Soft Touch Control Double Infrared Cooker
 Product Type:Built In/Tabletop
 Plate size(mm):290*520
 Built-In Size(mm):490*260



Model: ALP-DIC31

CB:220-240V,50/60Hz,3000W
 ETL:120V,60Hz,1800W
 Soft Touch Control Double Induction Cooker
 Product Type:Built In/Tabletop
 Plate size(mm):290*520
 Built-in Size(mm):490*260



Model: ALP-DCF31

220-240V, 50/60Hz,3000W
 Soft Touch Control Combined Double Cooker
 Product Type:Built In/Tabletop
 Plate size(mm):290*520
 Built-in Size(mm):490*260




Model: ALP-DIF31

220-240V, 50/60Hz,1800W(Front)+1200W(Rear)
 Soft Touch Control Double Infrared Cooker
 Product Type:Built In/Tabletop
 Plate size(mm):290*520
 Built-in Size(mm):490*260


Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC30	290*520	290*520*80	568*353*112	583*368*225(2pcs)	1141	2385	2800
ALP-DCF30	290*520	290*520*80	568*353*112	583*368*225(2pcs)	1141	2385	2800
ALP-DIF30	290*520	290*520*80	568*353*112	583*368*225(2pcs)	1141	2385	2800

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC31	290*520	290*520*80	568*353*112	583*368*225(2pcs)	1141	2385	2800
ALP-DCF31	290*520	290*520*80	568*353*112	583*368*225(2pcs)	1141	2385	2800
ALP-DIF31	290*520	290*520*80	568*353*112	583*368*225(2pcs)	1141	2385	2800



Model: ALP-DIF37

CB:220-240V,50/60Hz,1800W(Front)+1200W(Rear)
 ETL:240V,60Hz,3000W
 Soft Touch Control Double Infrared Cooker
 Product Type:Built In/Tabletop
 Plate size(mm):290*520
 Built-in Size(mm):490*260




Model: ALP-HIC06

220-240V, 50/60Hz
 Soft Touch Control Double Infrared Cooker
 Product Type:Built In/Tabletop
 Power Sharing For Option
 Plate size(mm):780*450
 Built-in size(mm): 745*415




Model: ALP-HCF05

220-240V, 50/60Hz
 Soft Touch Control Double Infrared Cooker
 Product Type:Built In/Tabletop
 Power Sharing For Option
 Plate size(mm):780*450
 Built-in size(mm): 745*415



Model: ALP-DIC35

120V,60Hz,1800W
 Soft Touch Control Double Induction Cooker
 Product Type:Built In/Tabletop
 Plate size(mm):290*520
 Built-in Size(mm):490*260



Model: ALP-DIC36

120V,60Hz,1800W
 Soft Touch Control Double Induction Cooker
 Product Type:Built In/Tabletop
 Plate size(mm):290*520
 Built-in Size(mm):490*260



Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIF37	290*520	290*520*80	568*353*112	583*368*225(2pcs)	1141	2385	2800
ALP-DIC35	290*520	290*520*80	568*353*112	583*368*225(2pcs)	1141	2385	2800
ALP-DIC36	290*520	290*520*80	568*353*112	583*368*225(2pcs)	1141	2385	2800

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-HIC06	780*450	780*450*90	853*128*520	868*535*280(2pcs)	430	892	1045
ALP-HCF05	780*450	780*450*90	853*128*520	868*535*280(2pcs)	430	892	1045

CookWare for options

Soup pot



Model: P1/P2/P3
Weight: 260g/320g/400g



Model: P5
Weight: 320g



Model: P6
Weight: 600g



Model: P7
Weight: 470g



Model: P9
Weight: 900g



Model: P10
Weight: 400g


Grill tray



Model: G1



Model: G2



Model: G3

The End
Thank you... ..