

A close-up photograph of a person's hand holding a large, rectangular piece of raw meat, likely a tripe or brisket, over a black metal grill. The meat is reddish-pink with visible fat and marbling. The grill has a series of parallel ridges. The background is slightly blurred, showing more of the grill and the person's arm.

商用厨房
加热设备

01

COMMERCIAL KITCHEN
COOKING EQUIP

Gas fryer

1 tank 2 basket

- 🔥 **Imported parts**
- 🔥 **U.S.A robertshaw / honeywell**
- Temperature range: 93°C~205 °C
- 🔥 **32mm dia full port drain valve for fast and complete oil draining.**
- Adjustable stainless steel legs standard, wheel are adjustable**
- 🔥 **Tank is fully peened for smother welds & easy cleaning**
- 🔥 **Twin nickel plated baskets**
- 🔥 **Over temperature protector**
- 🔥 **Millivolt control does not require electrical connection**



MODEL	BURNER	POWER	MACHINE SIZE	PACKING SIZE	N.W/G.W	CAPACITY
GF-3B	3 pcs	30,000 BTU x3	394x779x1137 mm	840x470x850 mm	59.5/68 KG	16-18L
GF-4B	4 pcs	30,000 BTU x4	394x779x1137 mm	840x470x850 mm	65/73.5 KG	18-25L
GF-5B	5 pcs	30,000 BTU x5	534x870x1137 mm	950x620x850 mm	83/95 KG	34-36L
GF-4BD (2 tank)	2pcs + 2 pcs	30,000 BTU x4	534x870x1137 mm	950x620x850 mm	88/100KG	15L+15L


Gas fryer

Thermostat control

Imported parts

U.S.A robertshaw / honeywell

- 🔥 Solid state control thermostat, 93°C~190°C
- 🔥 Melt cycle switch that allows the shortening to heat slowly when in the "ON" position.
- 🔥 DVI-Drain valve interlock control prevents "dry firing"
- 🔥 32mm dia full port drain valve for fast and complete oil draining.
- 🔥 Adjustabbe stainless steel legs standard, wheel are adjustable
- 🔥 Tank is fully peened for smother welds & easy cleaning
- 🔥 Solid state control require electrical connection




MODEL	BURNER	POWER	MACHINE SIZE	PACKING SIZE	N.W/G.W	CAPACITY
GFS-4B	4 pcs	30,000 BTU x4	394x779x1137 mm	840x470x850 mm	65/73.5 KG	18-25L
GFS-5B	5 pcs	30,000 BTU x5	534x870x1137 mm	950x620x850 mm	83/95 KG	34-36L



Gas stove cooker

- 🔥 25,000 BTU per burner
- 🔥 Heavy-duty 30.5x30.5 cm cast iron grates
- 🔥 Octagonal cast iron burners
- 🔥 Standing pilot light for each burner
- 🔥 Adjustable stainless steel legs, non-skid feet
- 🔥 Each hotplate shipped standard Natural Gas, LPG conversion kit included
- 🔥 Full length seamless drip pan, easy to remove and clean
- 🔥 Table top design are available to add cabinet base



GBC-4 add cabinet base



GBC-4



OEM : widen cooking zone

MODEL	BURNER	POWER	MACHINE SIZE	PACKING SIZE	N.W/G.W
GBC-2	2 pcs	7.3kw x2	740x304x330 mm	860x410x450 mm	24.5/36 KG
GBC-4	4 pcs	7.3kw x4	740x609x330 mm	900x720x450 mm	43.5/60 KG
GBC-6	6 pcs	7.3kw x6	740x914x330 mm	920x1030x450 mm	62/90 KG

Gas stock pot cooker

- 🔥 80,000 BTU per burner
- 🔥 Heavy-duty 43x43 cm cast iron grates
- 🔥 Octagonal cast iron burners
- 🔥 Standing pilot light for each burner
- 🔥 Adjustable stainless steel legs, non-skid feet
- 🔥 Each hotplate shipped standard Natural Gas, LPG conversion kit included
- 🔥 Full length seamless drip pan, easy to remove and clean
- 🔥 Table top design are available to add cabinet base



GBC-1C



GBC-2C

MODEL	BURNER	POWER	MACHINE SIZE	PACKING SIZE	N.W/G.W
GBC-1C	1 pcs	80,000 BTU	650X456X660 mm	700X540X600 mm	46/60 KG
GBC-2C	2 pcs	160,000 BTU	1350X456X660 mm	1380X540X600 mm	81/101 KG
GBC-4B	4 pcs	26000 BTU X4	740X609X480 mm	920X700X600 mm	70/80 KG
GBC-6B	6 pcs	26000 BTU X6	740X914X480 mm	920x1030x600 mm	90/105 KG


Gas step up stove cooker



GBC-4B

Gas Charbroiler

- 🔥 35,000 BTU per burner
- 🔥 "U" shape burners provide evenly heating
- 🔥 Adjustable pilot light lit frm front of unit
- 🔥 3.0 mm stainless steel radiants
- 🔥 All stainless steel cabinet
- 🔥 Adjustable stainless steel legs,non-skid feet
- 🔥 Easy to remove full width crumb tray
- 🔥 Table top design are available to add cabinet base



GBL- 2

MODEL	BURNER	POWER	MACHINE SIZE	PACKING SIZE	N.W/G.W
GBL-1	1 pcs	10.3kw x1	740x301x386mm	920x410x490mm	33/40KG
GBL-2	2 pcs	10.3kw x2	740x610x386 mm	920x720x490 mm	52/70 KG
GBL-3	3 pcs	10.3kw x3	740x914x386 mm	920x1030x490 mm	71/100 KG
GBL-4	4 pcs	10.3kw x4	740x1220x386 mm	920x1340x490 mm	104/126 KG

Gas griddle

- 🔥 30,000 BTU per burner
- 🔥 "U" shape burners provide evenly heating
- 🔥 19mm thickness grill board
- 🔥 Adjustable stainless steel legs, non-skid feet
- 🔥 All stainless steel machine body
- 🔥 Table top design are available to add cabinet base

MODEL	BURNER	POWER	MACHINE SIZE	PACKING SIZE	N.W/G.W
GGM-1	1 pcs	8.8kw x1	873x305x394 mm	920x410x490 mm	40/49KG
GGM-2	2 pcs	8.8kw x2	873x610x394 mm	920x720x490 mm	70/89 KG
GGM-3	3 pcs	8.8kw x3	873x914x394 mm	920x1030x490 mm	100/129 KG
GGM-4	4 pcs	8.8kw x4	873x1220x394 mm	920x1340x490 mm	126/161 KG
GGM-5	5 pcs	8.8kw x5	873x1530x394 mm	920x1650x490 mm	154/189 KG

19mm
Grilling
Surface



GGM-2

Gas Ranges

4 burners / 6 burners with oven



OEM : widen cooking zone

- 🔥 30,000 BTU per burner
- 🔥 33,000 BTU static oven
- 🔥 Oven thermostat adjusts from 93°C-260°C
- 🔥 Manual gas controls
- 🔥 Oven with 2 layer shelf, 3 positions
- 🔥 Standard stainless steel leg
- 🔥 (Optional choice for wheel legs)



MODEL	BURNER	POWER	MACHINE SIZE	PACKING SIZE	N.W/G.W
GBC-4C	4 pcs	8.8kw x 4 +9.7kw	609x797x1530 mm	710x940x1120 mm	126/166 KG
GBC-6C	6 pcs	8.8kw x 6 +9.7kw	914x797x1530 mm	1010x940x1120 mm	164/214 KG

Gas Cooktop combination



GLC-2

- 🔥 25,000 BTU per burner gas stove cooker
- 🔥 35,000 BTU burner gas grill
- 🔥 30,000 BTU burner gas griddle
- 🔥 3 function in 1 machine, save space and power
- 🔥 19mm thickness grill board
- 🔥 Adjustable stainless steel legs, non-skid feet
- 🔥 All stainless steel machine body
- 🔥 Seperate drip pan, easy to remove and clean
- 🔥 Table top design are available to add cabinet base

MODEL	BURNER	POWER	MACHINE SIZE	PACKING SIZE	N.W/G.W
GLC-2	4 pcs	Gas stove: 7.3 kw x 2 Gas grill: 10.3 kw x 1 Gas griddle: 8.8 kw x 1	920X760X920 mm	1000X850X1000 mm	80/95 KG



Manual control

10



Electric deep fryer

- Removable stainless steel tanks for easy cleaning
- Variable temperature controls up to 200°C
- Include 1 basket, heater protected stainless shelf



MODEL	MACHINE SIZE	POWER	CAPACITY
EF-4L	220x390x320 mm	220V 50~60Hz 2.5Kw	4L
EF-4L-2	455x390x320 mm	220V 50~60Hz 2.5Kw x2	4L + 4L
EF-6L	265x415x290 mm	220V 50~60Hz 3Kw	6L
EF-6L-2	535x415x290 mm	220V 50~60Hz 3Kw x2	6L + 6L
EF-8L	265x415x340 mm	220V 50~60Hz 3Kw	8L
EF-8L-2	535x415x340 mm	220V 50~60Hz 3Kw x2	8L + 8L



- 2 Tank fryer includes 2 baskets , 2 removable stainless steel tanks
- CE,SABER



INSERT HEAD

Electric deep fryer With faucet

- Fast drip out oil by faucet for easy cleaning
- Variable temperature controls up to 200°C
- Include 1 basket, heater protected stainless shelf



MODEL	MACHINE SIZE	POWER	CAPACITY
EF-101V	280x500x355 mm	220V 50~60Hz 3Kw	10L
EF-102V	570x500x355 mm	220V 50~60Hz 3Kw x2	10L + 10L
EF-131V	310x530x355 mm	220V 50~60Hz 3Kw	13L
EF-132V	625x530x355 mm	220V 50~60Hz 3Kw x2	13L + 13L
EF-161V	340x560x380 mm	220V 50~60Hz 3Kw	16L
EF-162V	690x560x380 mm	220V 50~60Hz 3Kw x2	16L + 16L
EF-25V	715x585x420 mm	380V 9Kw	25L



- Double layer heater



- 2 kinds of faucet available

EF-25V

13

INSERT HEAD

Electric deep fryer with faucet Rotary head

- Rotary head design can stay in 3 different position for easy cleaning
- Fast drip out oil by faucet for easy cleaning
- Variable temperature controls up to 200°C



MODEL	MACHINE SIZE	POWER	CAPACITY
EFX-131V	280x500x355 mm	220V 50~60Hz 3Kw	10L
EFX-132V	570x500x355 mm	220V 50~60Hz 3Kw x2	10L + 10L
EFX-161V	310x530x355 mm	220V 50~60Hz 3Kw	13L
EFX-162V	625x530x355 mm	220V 50~60Hz 3Kw x2	13L + 13L



- Rotary head with removable tank design for easy cleaning



MODEL	MACHINE SIZE	POWER	CAPACITY
EF-101	280x460x300 mm	220V 50~60Hz 3Kw	10L
EF-102	570x460x300 mm	220V 50~60Hz 3Kw x2	10L + 10L
EF-171	300x515x370 mm	220V 50~60Hz 3Kw	17L
EF-172	610x515x370 mm	220V 50~60Hz 3Kw x2	17L + 17 L

Electric Fryer with tap

Quantity running model



Model	Machine Size	Power	Capacity	With PC board safety control
EFE-101V	465x300x370mm	3Kw	10L	NO
EFE-131V	465X300X420mm	3Kw	13L	NO
EFE-171V	530x295x410mm	4Kw	17L	YES
EFE-181V	500X360X425mm	5Kw	18L	YES

Product details



Double layer heater



PC board safety



Oil drain hole



Tap

15

Economic price,
good using machine

Electric Fryer with tap with cabinet



Product	Electric Fryer with Tap & Cabinet
Capacity	17L
Power	4Kw
Size	530x295x905mm
Oil tank size	360x250x180mm
Packing size	655x335x950mm
With PC board safety control	

Product details



With cabinet



PC board safety



Oil drain hole



Tap

Electric Bain marie

Food display warmer



- Copper drain valve
- 85°C thermostat temperature control
- GN1/3,1/4 tank available to choose

MODEL	MACHINE SIZE	POWER	Pan size
BM-44	765x295x315 mm	220V 50-60Hz 1kw	GN1/4 x 4
BM-45	940x295x315 mm	220V 50-60Hz 1.5kw	GN1/4 x 5
BM-46	1115x295x315 mm	220V 50-60Hz 1.5kw	GN1/4 x 6
BM-47	1290x295x315 mm	220V 50-60Hz 1.5kw	GN1/4 x 7
BM-48	1465x295x315 mm	220V 50-60Hz 2kw	GN1/4 x 8
BM-34	828x350x320 mm	220V 50-60Hz 1kw	GN1/3 x 4
BM-35	1005x350x320 mm	220V 50-60Hz 1.5kw	GN1/3 x 5
BM-36	1180x350x320 mm	220V 50-60Hz 1.5kw	GN1/3 x 6
BM-37	1357x350x320 mm	220V 50-60Hz 1.8kw	GN1/3 x 7
BM-38	1532x350x320 mm	220V 50-60Hz 2kw	GN1/3 x 8



Electric Griddle

EG-548

- Consistent, even heat distribution
- Adjustable thermostat to 300°C
- Power ON and ready indicator lights
- Ribbed grill board available
- Large fully removable grease tray
- Extra-tall steel splash guards with tapered front end for protection against grease and spills



EG-738



MODEL	MACHINE SIZE	POWER	GRILL BOARD THICKNESS
EG-548	550x475x250 mm	220V 50-60Hz 3kw	8 mm
EG-548-2	550x475x250 mm	220V 50-60Hz 3kw	8 mm
EG-738	740x520x240 mm	220V 50-60Hz 4.4 kw	10 mm
EG-738-2	740x520x240 mm	220V 50-60Hz 4.4 kw	10 mm

Electric Panini Griddle

PG-818



- Combination function between panini grill & griddle!
- 5KW powerful up down griddle-Cooking more fast!
- Separate temperature control

Model	Machine size	Up board size	Down board size	Power
PG-818	600 x580 x260 mm	550 x350 mm	540 x330 mm	5000W



Shawama



Burger



Sandwich



Steak



Electric Griddle

- Consistent, even heat distribution
- Brushed stainless steel construction
- Adjustable thermostat to 300°C
- Power ON and ready indicator lights
- Ribbed grill board available
- Chrome grill board available
- Extra-tall steel splash guards with tapered front end for protection against grease and spills
- Large fully removable grease tray



EG-360



EG-600/650



EG-818

MODEL	MACHINE SIZE	POWER	Grill board thickness
EG-360	360x450x220 mm	220V 50~60Hz 3Kw	10 mm
EG-400	400x500x305 mm	220V 50~60Hz 3Kw	10 mm
EG-450	450x540x315 mm	220V 50~60Hz 3Kw	10 mm
EG-600	600x500x305 mm	220V 50~60Hz 5Kw	12 mm
EG-650	650x540x305 mm	220V 50~60Hz 6Kw	12 mm
EG-818	550x430x250 mm	220V 50~60Hz 3Kw	8 mm

Gas Griddle

- "u" Shape burner even heat distribution
- Brushed stainless steel construction
- Adjustable heating power knob
- Pulse ignition burning
- Ribbed grill board available
- Chrome grill board available
- Extra-tall steel splash guards with tapered front end for protection against grease and spills
- Large fully removable grease tray



G-500



G-600



MODEL	MACHINE SIZE	BURNER	GRILL BOARD THICKNESS
G-500	500x550x310 mm	1 burner	12 mm
G-600	600x550x310 mm	2 burners	12 mm
G-800	800x550x310 mm	2 burners	18 mm
G-1000	1000x550x310 mm	3 burners	18 mm
G-1200	1200x550x310 mm	3 burners	20 mm



Gas grill Lava rock stone



LRG-60

MODEL	MACHINE SIZE	BURNER QTY	GRILL SHELF QTY	POWER (BTU)
LRG-60	600x760x380 mm	2 PCS	3 PCS	26000
LRG-77	770x760x380 mm	2 PCS	4 PCS	39000
LRG-94	940x760x380 mm	3 PCS	5 PCS	52000
LRG-120	1110x760x380 mm	4 PCS	6 PCS	65000



SM-300

Quartzose tube oven



SM-200

MODEL	MACHINE SIZE	POWER	LAYER
SM-200	490x260x300 mm	220V 50~60Hz 2Kw	1 layer 1 shelf
SM-300	490x260x370 mm	220V 50~60Hz 3Kw	2 layer 2 shelf

Electric Panini grill Sandwich maker

- Great for grilled panini, hamburgers, chicken, vegetables and more
- Cast-iron plates for even heat distribution and quick cooking time
- Adjustable thermostat up to 300°C
- Power ON and ready indicator lights
- Heat-resistant handles
- Ribbed cast-iron plates



PG-811/812

MODEL	MACHINE SIZE	POWER
PG-811	305x365x210 mm	1.8 kw
PG-812	430x365x210 mm	2.4 kw
PG-813	565x365x210 mm	3.6 kw
PG-812D	845x365x210 mm	3.6 kw



PG-813



PG-812D

Electric Panini grill Sandwich maker



CPG-280/CPG-280M



CPG-280D

MODEL	MACHINE SIZE	POWER
CPG-280	280x445x275 mm	2.4 kw
CPG-280M	420x445x275 mm	3 kw
CPG-280D	560x445x275 mm	3.6 kw



PG-1P/PG-3



PG-1X

MODEL	MACHINE SIZE	POWER
PG-1P	340x480x170 mm	1.6 kw
PG-3	590x550x170 mm	3 kw
PG-1X	700x480x170 mm	3.2 kw

Pocket Sandwich Maker

- A new concept sandwich maker
- Falafel pocket sandwich
- Sweet desert /icecream ball sandwich
- Steak burger
- Toasted & Sealed the bread as a pocket



Pocket Sandwich Maker

- Toast bread with ice cream filling
- Different favor sandwich maker
- Perfect cut & seal the bread



PSG-01



PSG-02

Model	Hot plate qty	Sandwich diameter	Machine size	Power	N.W/G.W
PSG-01	1 pc	110mm	370x480x300 mm	600W	13.85/15.1 kgs
PSG-02	2 pcs	110mm	450X480X300 mm	1200W	20.2/21.8 kgs



Electric Pasta cooker

- Separate heating boiling controller reach your particular cooking.
- Adjustable thermostat up to 110°C
- Power ON and ready indicator lights
- Heat-resistant boiler handles
- Fast drip out water by drain valve



MODEL	MACHINE SIZE	POWER	BASKET
PC-2	260x530x300 mm	1000 W	2 baskets
PC-4	490x465x300 mm	2000 W	4 baskets
PC-6	625x465x300 mm	3000 W	4 baskets+1 bain marie



Lift Salamanda Cheese melter

- Commercial quality heavy duty stainless steel construction
- Stainless steel upper housing has a vertical movement of 20cm
- Polished reflectors above the heating elements to help radiate heat down towards the cooking area
- Removable stainless steel drip tray and cooking grate
- Cool-to-touch bakelite handle for safe adjusting of the upper housing
- Non-slip rubber feet for stability when using on the countertop



S-600



S-800

MODEL	MACHINE SIZE	POWER	N.W
S-450 / S-450X	450x500x530 mm	220V 50~60Hz 3 Kw	38 KG
S-600 / S-600X	600x500x520 mm	220V 50~60Hz 4 Kw	48 KG
S-800 / S-800X	800x500x530 mm	220V 50~60Hz 5.6 Kw	58 KG



"x" Oblique top design



Conveyor toaster

- "Heavy-duty ,brushed stainless steel construction
- Power ON and toaster Ready indicator lights
- Cool-touch side panels
- Energy-saving Standby function
- Rotary stainless steel chain



MODEL	MACHINE SIZE	POWER	Pieces of bread/H
ETT-150	288x418x387 mm	220V 50~60Hz 1.5 Kw	150~180
ETT-300	368x418x387 mm	220V 50~60Hz 2 Kw	300~350
ETT-450	468x418x387 mm	220V 50~60Hz 2.45 Kw	450~500



Bun toaster

For hamburger bread

- Full stainless steel material
- EGO thermostat with safety
- Imported bearing support the long time rotary
- Adjustable toasted space and speed.
- thickness from 12.2 to 22.6mm

Model	BT-1600
Machine size	420x250x585mm
Power	1800W
Temperature	50-300°C

Hot dog grill

- Full stainless steel material
- Optional with or without glass cover
- Stainless steel rolling stick



MODEL	MACHINE SIZE	POWER
HD-7	440X325X175mm	220V 50~60Hz 0.7 Kw
HD-9	550x400x175mm	220V 50~60Hz 0.9 Kw
HD-11	550x475x175mm	220V 50~60Hz 1.1Kw
HD-7G	440X325X380mm	220V 50~60Hz 0.7 Kw
HD-9G	575x380x430mm	220V 50~60Hz 0.9 Kw
HD-11G	575x450x430mm	220V 50~60Hz 1.1Kw

Hot dog warmer



MODEL	HDW-1	HDW-2
SIZE	245X330X360mm	480x330x360mm
POWER	450W	700W

Hot dog stick warmer

- Fast heating Aluminium stick to 300°C
- Bigger size heating stick ,diameter 4 CM
- Separate temperature control



HDS-4



HDS-6



HDW-3

Model	Size	Power
HDS-4	330x355x330MM	600W
HDS-6	470x355x330MM	900W
HDW-3	505x355x330MM	1200W



Planetary mixer

- 3-Speed version planetary mixer for different types of dough such as pizza, bread, biscuits, various sauces
- Lift up or wheel adjustable , microswitch on bowl and bowl protector - removable bowl - quick tool connection



MODEL	MACHINE SIZE	POWER	DRIVE
IP10F	355X360X630mm	220V 370W	Gear drive
IP20F	430X430X760mm	220V 1100W	Gear drive
IP30F	430X430X910mm	220V 1500W	Belt drive
IP40F	730X640X1130mm	220V/380V 2000W	Belt drive
IP60F	840X700X1440mm	380V 2200W	Belt drive



Pizza Roller Machine



- Adjustable roller thickness from min 0.7 to max 5.4 mm by control knobs.
- Two-stage roller improves the efficiency of pressing the dough into a round pizza.
- Pizza dough sheeter is suitable for bakeries, pizzerias, restaurant and kitchen



Model	Machine size	Power	Up roller length	Down roller length	Rollers thickness
PR400	520x530x640mm	370W	300mm	400mm	min0.7-max 5.4mm
PR300	480x520x620mm	370W	220mm	345mm	min0.7-max 5.4mm



Convection oven GAS & ELECTRIC

- Smaller machine size save more space
- 2 in 1 Forward and backward fan, more stronger wind
- Detachable shelf can easy take out
- Mirror chamber design
- With steam function for baking bread
- Strong door sealing strip avoid the heat come out
- All stainless steel material
- Electric & Gas are available



ECO-5



ECO-10

MODEL	MACHINE SIZE	PAN SIZE	POWER	FAN QTY
ECO-4M	710X860X485mm	400x600x4 Pan	220V 5Kw	1
ECO-5	710X910X750 mm	400x600x5 Pan	220V/380V/7Kw	1
ECO-6	710X910X850 mm	400x600x6 Pan	380V 9Kw	2
ECO-8	710X910X1120 mm	400x600x8 Pan	380V 9Kw	2
ECO-10	710X910X1320 mm	400x600x10 Pan	380V 14Kw	2



ECO-4M

Gas & Electric

Gas Baking Oven Stainless steel



GO1-2

- 1 Deck 2 tray commercial oven
- Full stainless steel chamber and body
- Adjustable thermostat to 300°C
- Heat - resistant handles

MODEL	MACHINE SIZE	POWER	TEMPERATURE
GO1-2	1300X855X580mm	120W	~300°C
GO2-4	1300X855X1160mm	120Wx2	~300°C
GO3-6	1300X855X1740mm	120Wx3	~300°C



Tiny Fish Waffle maker
WF-08F



Shawarma Sandwich Grill


- 2/5 rolls sandwich
- Manual/Digital control
- Adjustable thermostat to 300°C
- Sandwich size: 6x20cm
- Suitable for shawarma sandwich rolls!



Model	Machine size	Sandwich length	Sandwich diameter	Power
WF-2SM	410x250x280mm	20 cm	6 cm	1200W
WF-2SD	410x250x280mm	20 cm	6 cm	1200W
WF-5SM	495X440X315mm	20 cm	6 cm	2200W
WF-5SD	495X440X315mm	20 cm	6 cm	2200W



Mini Pancake maker



WF-25



WF-252

Model	Hole data	Thickness	Hole qty	Machine size	Power
WF-25	Φ45mm	7mm	25pcs	375x300x170mm	850W
WF-252	Φ45mm	7mm	25+25pcs	620x375x170mm	1700W
WF-50	Φ45mm	7mm	50 pcs	550x375x170mm	1800W
WF-100	Φ45mm	7mm	100 pcs	550x600x170mm	3000W
WF-25P	Φ45mm	15mm	25 pcs	425X360X260mm	2200W



WF-252C /WF-25P



WF-252B

Model	Hole data	Thickness	Hole qty	Machine size	Power
WF-252C	Φ40mm	Φ40mm	25pcs	410x310x240mm	1750W
WF-252B	Φ50mm	Φ50mm	25pcs	425x360x260mm	2200W



Cast iron plate

Model	WF-01SC	WF-01S4	WF-01S	WF-01S4S
Size	310X400X230mm	265X415X310mm	265X415X310mm	265X415X310mm
Power	2000W	2000W	1750w	1750w



Model	WF-01S6	WF-01S2	WF-01C-B	WF-01C-A
Size	265X415X310mm	320x380x250	410X305X240mm	410X305X240mm
Power	1750w	1750w	1750w	1750w



Model	WF-01C-AT	WF-8SC	HWM-04	BFWM-04
Size	410X305X240mm	410X305X240mm	390X340X245mm	410X305X240
Power	1750W	1750W	1550w	1750w

Waffle maker

Aluminum plate



Model	WF-12C	WF-5D	WF-6D	WF-12D
Size	255X430X180mm	360X330X245mm	410X305X240mm	410X305X240mm
Power	1550W	1550W	1550W	1550W



Model	WF-5C	WF-3+3	WF-6C	WF-252H
Size	360X330X245mm	390X345X245mm	390X345X245mm	410x310x240mm
Power	1550W	1550W	1550W	1750W



Model	SRWM-04	SRWM-02	WF-26-P
Size	580X430X195mm	580X430X195mm	640X400X195mm
Power	2000W	2000W	1600W



Waffle Maker

Chips stick



WF-26BD



WF-26B

Model	WF-26BD	WF-26B
Size	400X365X205 mm	370x350x200 mm
Power	1600 W	1600 W

Electric Taiyaki Maker

Fish waffle icecream



WF-01BF



WF-03BF

Model	WF-01BF	WF-03BF	WF-05BF	WF-10BF
Size	380x350x230mm	440x425x285mm	585x375x265mm	690x600x275mm
Power	1600w	2000w	3000w	3000w+3000w



WF-05BF



WF-10BF



Model	WF-01E	WF-01R-C	WF-01R	WF-01R-B
Size	225X420X290mm	255X380X270mm	255X380X270mm	255X380X270mm
Power	1300W	1300W	1300W	1300W



Model	RWF-01RM	RWF-01RMB	RWF-01RMP	RWF-04C
Size	490X250X300mm	490X250X300mm	490X250X300mm	490X250X300mm
Power	1300W	1300W	1300W	1300W



Model	WF-08E	WF-08F	WF-06B
Size	225X420X290mm	225X420X290mm	440X425X285mm
Power	1300W	1300W	2000 W



Cast iron plate

Model	WFC-01S
Size	410*305*240mm
Power	2000w



Cast iron plate

Model	WFC-01SC-B
Size	440*310*235mm
Power	1750w



Cast iron plate

Model	WFC-01SD
Size	400*310*260mm
Power	1750w



Model	WF-03F
Size	375*375*265mm
Power	1400w



Model	WF-10C
Size	380*350*230mm
Power	2000w



Model	WF-10H
Size	340*320*195mm
Power	1600w



Model	WF-30C
Size	410*305*240mm
Power	1750w



Model	WF-01C-W
Size	410*305*240mm
Power	1750w



Model	WF-4F
Size	410x305x240mm
Power	1750w



Electric Crepe maker




ECM-1R



ECM-1



Electric heater



ECM-2

MODEL	DESCRIPTION	MACHINE SIZE	POWER
ECM-1	Electric single crepe	450x500x180 mm	220V 50~60Hz 3 Kw
ECM-2	Electric double crepe	900x500x180 mm	220V 50~60Hz 3+3 Kw
ECM-1R	Electric single crepe Round	400x400x180 mm	220V 50~60Hz 3 Kw

Gas Crepe maker



GCM-1



GCM-2

MODEL	DESCRIPTION	MACHINE SIZE	POWER
GCM-1	Gas single crepe	450x500x220 mm	LPG/ NG 3Kw
GCM-2	Gas double crepe	900x500x220 mm	LPG/ NG 3+Kw

Cheese dispenser

Hot sauce warmer dispenser

- #304 stainless pump
- 2L capacity inner tank
- Pipe warmer function avoid the sauce cold stop inside the dripping pipe



CW-01R



CW-01SL



CW-01S

MODEL	MACHINE SIZE	POWER
CW-01R	190x210x300 mm	220V 50~60Hz 650w
CW-01SL	230x270x390 mm	220V 50~60Hz 650w
CW-01S	230x270x390 mm	220V 50~60Hz 650w



Chocolate bottle warmer

85 °C degree temperature, heating and keep sauce warm



CBW2X2



CBW2X3

MODEL	BOTTLE	MACHINE SIZE	POWER
CBW-1X / CBW-1	1 PCS	165X220X230mm	220V 50~60Hz 200W
CBW-2X / CBW-2	2 PCS	300X220X230 mm	220V 50~60Hz 400W
CBW-3X / CBW-3	3 PCS	435X220X230 mm	220V 50~60Hz 600W
CBW-4X / CBW-4	4 PCS	570X220X230 mm	220V 50~60Hz 800W
CBW2X2	4 PCS	300X355X230 mm	220V 50~60Hz 800W
CBW2X3	6 PCS	435X355X230 mm	220V 50~60Hz 1200W



Single layer Inner tank, can put bigger size sauce bottle,
tank diameter : 90mm



X series are used double layer inner tank with safety,
tank diameter : 80mm



X series

46

吧台 03 咖啡设备

BAR & CAFE

VITA 250

Heavy-Duty Food & Beverage Blender With sound enclosure



- Variable speed manual control with PULSE function.
- Sound enclosure reduces noise by over 50%
- Recommended for ice cube blending, milk shake drinks

Model	VITA250
Capacity	1.5L
Power	2HP/ 1500W 3.5HP/ 2200W
Speed	27000-30000 RPM
Jar	Food grade PC or BPA free
Size	251X234X466 mm
Package size	335X310X555 mm
N.W/G.W	7.3 Kgs / 9.2 Kgs
Color	OEM available



- Touch pad control panel with PULSE function
- 5 speed memory system setting blending time and speed as your need
- Sound enclosure reduces noise by over 50%
- Recommended for ice cube blending, milk shake drinks


Model	VITA450
Capacity	1.5L
Power	2HP/ 1500W 3.5HP/ 2200W
Speed	27000-30000 RPM
Jar	Food grade PC or BPA free
Size	251X234X466 mm
Package size	335X310X555 mm
N.W/G.W	7.3 Kgs / 9.2 Kgs
Color	OEM available

VITA 450

Touch pad control



VITA450-2L



- Touch pad control panel with PULSE function 5 speed memory system setting
- blending time and speed as your need
- Sound enclosure reduces noise by over 50%
- Recommended for ice cube blending, milk shake drinks

Product	Commercial blender
Capacity	2L
Power	2HP/ 1500W 3.5HP/ 2200W
Speed	27000-30000 RPM
Jar	#304 stainless steel Jar or Food grad PC
Size	220X270X495MM
Package size	320X290X600MM
N.W/G.W	8.85/10.3Kgs
Color	Black/White



#304 stainless steel Jar



Food grad PC

- Variable speed manual control with PULSE function.
- Sound enclosure reduces noise by over 50%
- Recommended for ice cube blending, milk shake drinks

VITA250-2L

Product	Commercial blender
Capacity	2L
Power	2HP/ 1500W 3.5HP/ 2200W
Speed	27000-30000 RPM
Jar	#304 stainless steel Jar or Food grad PC
Size	220X270X495MM
Package size	320X290X600MM
N.W/G.W	8.85/10.3Kgs
Color	Black/White



CB-15D

Ultra-Heavy-Duty Food & Beverage Blender

- Electronic membrane panel with 3 variable speed control dial and PULSE.
- 3-minute electronic timer are available.
- Recommended applications:Dressings, Salsas,Soup,Smoothies and more.
- Great for use in large kitchens, schools healthcare facilities.
- Recommended for 100+ cycles per day.

Model	CB-15D
Size	304x280x560mm
Capacity	One Gallon/4L
Power	3.75HP/3200W
Speed	26000 RPM
Jar	#304 ss
Machine N.W	10.3 Kgs
Jar N.W	3.5 Kgs
Color	Gray/ Black



Flower base



9460 motor



Digital PC



Blade



Ultra-Heavy-Duty Food & Beverage Blender

CB-15M



- #304 Stainless steel blending Jar is good for hot sauce blending
- All materials that come in contact with food.
- Heavy-duty stainless steel blade with great powerful motor totally match commercial using.
- 3 year warranty quality motor

Model	CB-15M
Size	304x280x560mm
Capacity	One Gallon/4L
Power	3.75HP/3200W
Speed	26000 RPM
Jar	#304 ss
Machine N.W	10.3 Kgs
Jar N.W	3.5 Kgs
Color	Gray/ Black



Flower base





9460 motor



Digital PC



Blade




CB-20M

Heavy-Duty Food & Beverage Blender

- Viable speed control with PULSE function
- Heavy-duty motor-high-performance
- Flower shape container improve better blending
- 2 liter & 1.5 liter plastic cup is available for choose

Model	CB20M
Capacity	2 L
Power	2HP/ 1500W 3.5HP/ 2200W
Speed	26000 RPM
Jar	#304 ss
Size	230X265X500 mm
Package size	490X320X350 mm
N.W/G.W	6.5 Kgs / 7.2 Kgs
Color	Gray/ Black



CITRUS JUICER

CJ8	CJ8E	CJ4	CJ5	CJ5A	CJ6	CJ5B
						
Heavy-Duty Juice Extractor	Juice Extractor	Light-Duty Citrus juicer	Light-Duty Citrus juicer	Medium-Duty Citrus juicer	Medium-Duty Citrus juicer	Light-Duty Citrus juicer
POWER						
700 W	500 W	180 W	180 W	230 W	230 W	180W
SPEED						
3000 RPM	3000 RPM	1450 RPM	1450 RPM	1450 RPM	1450 RPM	1800 RPM
PRODUCTIVITY						
120 KG/H	90-100 KG/H	32 KG/H	32 KG/H			32 KG/H
BODY MATERIAL						
S.S	S.S	Aluminum alloy	Dia casting aluminum	Dia casting aluminum	Dia casting aluminum	Dia casting aluminum
SQUEEZER MATERIAL						
Stainless steel	Stainless steel	Plastic	Plastic	Stainless steel	Stainless steel	Plastic
SAFETY STOP						
YES	YES	NO	NO	YES	YES	NO
HANDLE						
With stomper	With stomper	NO	NO	YES	YES	NO
RECOMMENDED APPLICATIONS						
Apple, Carrot, Pear, Pineapples, Tomatoes, watermelon. Citrus Fruits: Orange, Lemons, Lime, Grapefruit	Apple, Carrot, Pear, Pineapples, Tomatoes, watermelon. Citrus Fruits: Orange, Lemons, Lime, Grapefruit	Lemon, Oranges, Limes, Grapefruit	Lemon, Oranges, Limes, Grapefruit	Lemon, Oranges, Limes, Grapefruit	Lemon, Oranges, Limes, Grapefruit	Lemon, Oranges, Limes, Grapefruit

Juice extractor



MODEL	CJ8E NEW
POWER	110V/220V 500W
CAPACITY	90-100KG/h of fruit or vegetables
SPEED	110V:3600RPM/ 220V:3000 RPM
MACHINE SIZE	415x232x493mm
PACKING SIZE	422x272x484mm
N.W/G.W	8.45/9.79Kg
NOISE LEVEL	below 72dB (A) when running empty

MODEL	CJ8
POWER	110V/220V 700W
CAPACITY	120KG/h of fruit or vegetables
SPEED	110V:3600RPM/ 220V:3000 RPM
MACHINE SIZE	473x253x522 mm
PACKING SIZE	490x276x516 mm
N.W/G.W	13.3Kg/15 Kg
COLOR	green+yellow/ black/ black+silver
NOISE LEVEL	below 72dB (A) when running empty



- Sanitary Aluminium alloy base
- unbreakable sanitary polycarbonate bowl
- waterproof motor block

MODEL	CJ4
POWER	110V/220V 180W
CAPACITY	32KG/h of citrus
SPEED	1800 RPM
MACHINE SIZE	308X218X354 mm
PACKING SIZE	348X245X395 mm
N.W/G.W	5Kg/5.5 Kg
COLOR	green+yellow/ black/ black+silver



55





MODEL	CJ5
POWER	110V/220V 180W
CAPACITY	32KG/h of citrus
SPEED	1800 RPM
MACHINE SIZE	318X206X412 mm
PACKING SIZE	455X252X360 mm
N.W/G.W	5.4Kg / 6.3 Kg
COLOR	black+silver

- **Casting aluminum body**
- **Removable bowl for easy cleaning**
- **One piece base with smooth and polished appearance**
- **3 Removable squeezer cones**
- **Particularly adapted for continuous production**

MODEL	CJ5B
POWER	110V/220V 180W
CAPACITY	32KG/h of citrus
SPEED	1800 RPM
MACHINE SIZE	250X218X420 mm
PACKING SIZE	353X248X450 mm
N.W/G.W	5.7Kg / 6.4 Kg
COLOR	black+silver





MODEL	CJ5A
POWER	110V/220V 230W
CAPACITY	42KG/h of citrus
SPEED	1800 RPM
MACHINE SIZE	334X202X475 mm
PACKING SIZE	380X240X510 mm
N.W/G.W	8Kg / 8.8Kg
COLOR	Orange+silver

MODEL	CJ6/CJ6A
POWER	110V/220V 230W
CAPACITY	42KG/h of citrus
SPEED	1800 RPM
MACHINE SIZE	280X200X470 mm
PACKING SIZE	280X360X475 mm
N.W/G.W	10.5Kg / 11Kg
COLOR	Orange+silver



57

CJ6

CJ6A



Drink mixer



MODEL	DM-1
POWER	110V/220V 400W
MACHINE SIZE	200X232X497 mm
PACKING SIZE	295X255X530 mm
N.W/G.W	3.6Kg / 4.3Kg



MODEL	DM-2
POWER	110V/220V 400W X 2
MACHINE SIZE	332X187X483 mm
PACKING SIZE	395X240X530 mm
N.W/G.W	7.93Kg / 8.79Kg



Heavy duty Drink mixer

Frozen dessert mixer

With its many functions and powerful design, this mixer is a must-have for making scrumptious treats at your busy establishment.

Add an array of delicious frozen desserts to your menu with the heavy duty Drink mixer!

MODEL	DM-1000
POWER	735 W
SPEED	8000rpm-14000rpm
MACHINE SIZE	252X253X658.8mm
N.W/G.W	17kg/18.7kg


Electric Glass Dryer

- Make polishing glassware a quick and easy task
- 5 microfiber brushes
- Heated blow tube
- Polishes glasses in 1/4 of the time

MODEL	GD-001
POWER	370W
CAPACITY APPROX	300-360 pcs/hour
MACHINE SIZE	330x385x510 mm
N.W	19.5 KG



IMMERSION BLENDER



MODEL				
IB-160	HM-177	HM-265	HM-305	HM-280
POWER				
200W	280W	280W	280W	500W
TUBE LENGTH				
150mm	177mm	240mm	305mm	385mm
STICK REMOVABLE				
NO	YES	YES	YES	NO
WHISK ADDITIONAL				
NO	YES	YES	YES	NO
				
SPEED				
2 speed 16000rpm/ 21000rpm	Variable speed 3000-13000rpm	Variable speed 3000-13000rpm	Variable speed 3000-13000rpm	1 speed 10000rpm
COLOR				
Black	Black/White/Gray/Red			Gray

STICK BLENDER



HM-177



HM-265



HM-305



MODEL	POWER	TUBE LENGTH(mm)	SPEED	SIZE (mm)	N.W(KG)
HM-177	280W	177	3000-13000	486x101.8x101.8	2
HM-265	280W	240	3000-13000	551x101.8x101.8	2.1
HM-305	280W	305	3000-13000	614.8x101.8x101.8	2.2
Whisk		240	400-1700	240x85x85	0.3



Variable speed designed for a better user comfort and speed control
Flexibility according to the preparation.



Removable rod are easy to clean
Can be combined into one head with three size rod for sale.



Stainless steel tube, bell and knife for a longer life.



Overmoulded blade to ensure perfect hygiene.
Sharpening designed to give optimum speed and perfect quality of cut.



Wall mounted shelf
More convenient to place the machine.



HAND MIXER

HM-280

- Power: 500W
- Speed: 10000 rpm without loading
- Tube length: 385 mm
- All stainless steel tube
- Max amount of mixing: 50L
- Machine size: 786x157 mm
- Packing size: 835x215x215 mm
- N.W/G.W: 3.06kg/3.68kg



385 mm

HM-280




150 mm

IB-160

IB-160

- Power: 200W
- Two speed: 16000 rpm / 21000 rpm
- Tube length: 150 mm
- All stainless steel blade
- body made of PP+glass fiber
- Machine size: 675x660x345 mm
- Packing size: 432x158x95 mm
- N.W/G.W: 1.6kg/2.1kg



COFFEE EQUIPMENT



COFFEE GRINDER

NCG-540	NCG-550S	NCG-550	NCG-550M
			
POWER			
600W	1000W	1000W	1000W
SPEED			
1450 rpm	2500 rpm	2500 rpm	2500 rpm
MACHINE HEIGHT (including hopper)			
430 mm	510mm	810mm	820mm
BURR SIZE			
90 mm	98 mm	98 mm	98 mm
BURR			
flat wheel/ goast teeth	flat wheel	flat wheel	flat wheel
BURR MATERIAL			
SUS 420 Titanium	SUS 420 hardness steel	SUS 420 hardness steel	SUS 420 hardness steel
SUITABLE			
Espresso coffee/ Pour over coffee	Espresso coffee/ Pour over coffee	Espresso coffee/ Pour over coffee	Espresso coffee/ Pour over coffee

Coffee grinder

98mm flat burr

- Heavy-duty professional coffee grinder machine
- Adjustable grinding size for espresso and pour over coffee
- Aluminum material structure
- Over heat temperature limited
- Hardness stainless steel 98mm flat burr



NCG-550



Model:NCG-550

Power: 1000W

Physical size:410x225x810mm

Powder speed: 24-40KG/h

Motor speed: 2500 rpm/min

N.W: 26 KGS

Burr material: SUS 420

Color: Black/White

NCG-550S



Model:NCG-550S

Power: 1000W

Physical size:410x225x500mm

Powder speed: 24-40KG/h

Motor speed: 2500 rpm/min

N.W: 23 KGS

Burr material: SUS 420

Color: Black/White



NCG-550M



Model:NCG-550M

Power: 1000W

Physical size:410x225x820mm

Powder speed: 24-40KG/h

Motor speed: 2500 rpm/min

N.W: 26 KGS

Burr material: SUS 420

Color: Black/White





Coffee grinder

83mm titanium flat burr

Digital control bean scale function

- Adjustable grinding powder size
- Digital control by time counting to quantity powder

Model: NCG-83R

Power: 600W

Physical size: 275x245x600 mm

Bean hopper capacity: 1.25kg

Motor speed: 2000 rpm/min

N.W: 15 KGS

Burr material: Titanium plating

Color: Black/White/Gray

Coffee grinder

90mm flat burr / goast teeth burr

Adjustable coffee powder size

Model: NCG-540

Power: 600W

Physical size: 175x280x430mm

Bean hopper capacity: 0.5 Pound/1.5 pound

Powder speed: 20g/8S

Motor speed: 1450 rpm/min

N.W: 15 KGS

Burr material: SUS 420

Color: Black/White/Gray



Coffee grinder

64 mm flat burr

Square / Round body

Model: NCG-64S/ NCG-64R

Power: 350 W

Physical size: 350x200x480 mm

Bean hopper capacity: 1 KG

N.W: 7.5 KGS

Burr material: SUS 420

Color: Black/White

Industrial Coffee grinder

98mm flat burr

Turkish coffee

- Industrial coffee grinder suitable for long time coffee powder grinding.
- Heavy-duty professional coffee grinder machine
- Adjustable grinding size for espresso and pour over coffee
- Over heat temperature limited
- Hardness stainless steel 98mm titanium flat burr

Model:NCG-550I

Power: 1000W

Physical size:465x251x603 mm

With shelf stand size: 510x310x1300 mm

Capacity: 30 KG/h

Burr material: Titanium plating

Color: Yellow green/ Black/ Withe



Coffee tamper NEW

- Digital PC board control
- Fully metal material body with aluminum structure
- Tamp zone with LED light , fashion & elegant.
- Easy simple adjustable portafilter without tool

Model:CCT-23

Power: 100W

Power supply: 24V 50-60Hz

Physical size:220x164x274mm

Packing size: 280x215x335mm(gift box)

N.W/ G.W: 7.3/7.8 kg

Power:10-30KG

Portafilter size: 58mm

Color: Black/Red



- Digital PC board control
- Exploded tamping head design shows tamping performance properly
- Portafilter holder with locked design ensure tamper carry the perfect tamping moves.
- Available changed different size tamper in one machine by hand.
(additional spare required)

Model:CCT-23K

Power: 100W

Power supply: 24V 50-60Hz

Physical size:128x185x315mm

Packing size: 210x275x330mm(gift box)

N.W/G.W: 5/ 5.65 kgs

Power:10-30KG

Portafilter size: 58mm/OEM size

Color: Black/White



Coffee tamper



MODEL:CPP-250T

Power:60W

Power supply:110V/60Hz,220-240V/50-60Hz

Tamp Times:1 to 3 times adjustable

Physical size:235x190x250mm

Packing size:287x237x310mm

N.W/G.W:5.3/5.8KG

Power:10-38KG

Portafilter size:58mm

Color:Black/White

Coffee tamper



Model:CPP-145

Power: 100W

Power supply: 24V 50-60Hz

Physical size:145x200x270mm

Packing size: 380x250x190mm(gift box)

N.W/ G.W: 4.2/ 5.3 kgs

Power:10-30KG

Portafilter size: 58mm

Color: Black/White

- Button push control
- Plastic body

Portafilter cleaner



- Automatic cleaning portafilter
- Suitable for 53mm and 58mm portafilter
- Humanize sensor control
- Available for working counter table top assemble.

Model:CPC-22B

Power: 85W

Power supply: 12V 60Hz

Physical size:160x160x320mm

Portafilter size: 53mm~58mm

Color: Black



Portafilter cleaner Presser sensor

NEW

Model:CPC-24


Power: 85W


Power supply: 12V 60Hz

Physical size:160x160x330mm

Portafilter size: 53mm~58mm

Color: Black





04

食品加工设备

FOOD PROCESSOR

MM-32PX

- #304 stainless steel Blade,Plate,Tray, Head are come in contact with food quality.
- Heavy-duty, 2HP motor with 1500W power
- 1400rpm/min Rotary speed
- Physical size: 580x230x400 mm
- Package size: 600x380x440 mm
- N.W / G.W: 31KG/33KG



TC-32PX

- #304 stainless steel Blade,Plate,Tray, Head are come in contact with food quality.
- 1.5 HP motor with 1125W power
- 1400 rpm/min Rotary speed
- Physical size: 580x230x400 mm
- Package size: 600x380x440 mm
- N.W / G.W: 31KG/33KG



TE-32PX

- #304 stainless steel Blade,Plate,Tray, Head are come in contact with food quality.
- 1.5 HP motor with 1100W power
- 1400 rpm/min Rotary speed
- Physical size: 580x230x400 mm
- Package size: 600x380x440 mm
- N.W / G.W: 31KG/33KG



Vegetable cutter



Model	SIZE	Power
VC-3000P	565X295X565 mm	450 W



Food Chopper



MODEL	MACHINE SIZE	POWER	SPEED	CAPACITY
FC-5	360x400x530 mm	550W	1400 rpm/m	5L
FC-7	380x420x540 mm	750W	1400 rpm/m	7L
FC-10	400x440x570 mm	1100W	1400 rpm/m	10L
FC-15	420x460x620 mm	1400W	1400 rpm/m	15L

Spare parts



Meat mincer



Cheese dispenser



S.s Blender Jar

90mm/98mm burr



Aluminum Hopper

Quantity Bean parts