

CONTENTS

██████████	003
Our Advanced Technologies	011
Our Products	
• P-Series platform microwave oven	021
• 20L	045
• 21L - 29L	065
• 30L and above	077



Smart Appliance Technologies with IoT






Control on-the-go

Imagine a world where all devices are connected and can communicate and interact freely with others.

Now, with IoT integration, you can monitor and adjust the temperature of the oven while you are enjoying time with your family; or start the cleaning robot while you are on your way back home - all can be done on the mobile devices.

Everything is under control within your finger tips.



Sit back, and control your cleaning robot with the phone. With MSmartLife app, you can plan the route or change the working function easily.



VoiSmart™ Technology


VoiSmart™ - Basic

Speak out the command or menu, the local-voice-activated appliances instantly understand what to do next.
No Internet, Bluetooth or any connection needed. All stored and happen locally.



VoiSmart™ - Plus

Seamlessly link with the AI assistant - Google Home or Alexa with the help of VoiSmart™ - Plus.
Talk naturally to the AI assistants, and your appliances will react intelligently: from reheating a pizza, making a popcorn, to start the cleaning robot.
No button, no knot, no hassle.



Our Advanced
Technologies



Air Fry

Advanced cooking

A healthy home-frying solution offered for wholesome dishes. Compares with traditional frying, air fry needs only a few drop of oil. Hot air circulation and top heater generate uniform heat that wraps and “fries” the food. Your favorite French fries or chicken nuggets are crunchy and crispy in just a moment.



Fitness Temptation

Fried food prepared by air fry contains less excessive oil which is brought from the traditional frying process. Ideal wholesome fried food starts here.



Clever Inverter

Advanced cooking



An intelligent way of cooking

Unlike traditional microwave oven that turns on and off the pulse periodically with fixed output power, clever inverter generates continuous yet variable power output intelligently and automatically. The result? Even heating and defrosting with high cooking efficiency, and with outstanding energy saving.


Cook healthily and easily

Simply choose auto menu and press "start". With clever inverter, the microwave oven will deliver proper output power and adjust precisely during cooking to prevent overcook, preserving nutrition and taste. Continuous max power output technology saves cooking or defrosting time.

Intelligent power control



Outstanding energy saving*



*Midea internal product test



Flatbed Cooking


Advanced cooking

The flatbed cooking eliminates the need of a traditional turntable, and provides extra space inside the cavity. Larger or irregular dishes can be fit in without hassle.



Diamond-shape Reflective Wall

A diamond-shape, reflective rear wall is used inside the cavity to significantly improve the distribution and reflection of the heat, for more uniform heating and higher cooking efficiency.



IntelliKlean®

Advanced cleaning

Our advanced coating material that makes cleaning even easier, and helps remain a long-lasting new-looking appliance.

Ceramic Enamel Cavity

Introducing ceramic enamel cavity, one of the ideal interior for microwave oven.

It is proven ceramic enamel cavity has the superior anti-bacteria capability, ensuring a hygienic and pure cooking environment for your culinary inspiration.

Don't forget it's also scratch-resistant and antirust, and the glazed surface makes cleaning easier than ever. Your cavity is always being clean, shiny and hygienic.

Scratch-resistant & Antirust

Ceramic enamel's hard-wearing and durable qualities make it scratch-resistant and antirust. It also helps to prevent surface discoloration even after long-time usage.

Easy Clean

The ceramic enamel cavity can be cleaned effortlessly. It does not absorb any moisture or odor, leaving pure environment for the next cooking.

Anti-bacteria

The ceramic enamel cavity is built to create a hygienic and healthy place for cooking, with proven 99.9% anti-bacteria capability*.

* Report from Detection Center of Microbiology, GD, P.R.C.



LASTEST PRODUCT PLATFORM P-SERIES PLATFORM

A Great Leap On Every Aspect

Introducing the new P-series platform, multi-functional microwave oven platforms that remarkably perform and significantly re-designed.

With re-structured and upgraded components, the new P-series platform has made such great improvements that will surely inspire your culinary ideas with total satisfaction.



Maximized Loading Capacity

The structure of P-Series microwave is optimized to maximize the loading capacity.

Comparing to the previous platform, now P-Series microwave has higher loading capacity.



P02



P03



P04






BETTER PERFORMANCE IN A MORE EFFICIENT WAY

P-series platform significantly improves the performance with better heating/defrosting evenness yet less energy consumption.


Refined components significantly reduce noise up to 9%*.

* P03 platform noise reduction level, Midea lab test report

HEAT EVENNESS



DEFROSTING



DNA-implanted Healthy

With built-in healthy auto menu, air fry function, slow-cooking and more, we embedded the most popular wholesome cooking methods in the new P-Series platform.



Healthy Menu

Up to 19 built-in auto menus of wholesome dishes collection right on the fingertips.



Air Fry

Home-made fries uses air fry function with only a few drops of oil, while crunchy grilling is achievable with ease by crispy grill.



Low-temp. Control

Slow down and enjoy the moment. Slow-cooking functions from yogurt fermenting, dough raising to fruit dehydrating, can surely meet your needs.

Innovations For Handily Smart & Comfort



Smart Humidity Sensor

Smart humidity sensor has real-time monitoring on the cavity and adjust output power automatically based on the moisture level. Food will always be at the best texture and taste in the right cavity humidity.

Wi-Fi Connectivity

Get the microwave oven connected with the built-in Wi-Fi function. P-Series platform also has extendable module that link with a designated App.



Large Cavity With Larger Opening & Clearer View

Larger opening enables easier access to the cavity. High transparency window offers crystal clear vision inside while cooking.



IntelliKlean® Coating


cleaning a breeze. Our premium coating is food-graded safe, high-temp resistant (up to 500°C) and everlasting. The cavity remains shiny and tidy even after long-time use.



Considerate Kitchen Assistant

- Child safety lock
- Sound on/off
- Deodorization
- ECO mode
- Keep warm/plate warm function
- Super silence
- Adjustable chord tone

P-SERIES PLATFORM PRODUCTS





What Do the Icons Mean?

Charts on the following pages contain product information on Midea microwave oven. Generally speaking, Midea products have different functions and characteristics. Icons of the most important functions have been listed out directly, for a brief explanation at a glance.

- Control**
 - Mechanical control
 - Electronic control
 - Key-pad control
 - Touch control
- Display**
 - LCD display
 - LED display
 - TFT display
- Cavity**
 - Painted cavity
 - Enamel cavity
 - Stainless steel cavity
 - Turntable
 - Flatbed
- Cooking Functions**
 - Auto menu
 - 30 sec. Express cook
 - Defrost by weight and time
 - Metal tube heater
 - Convection fan
 - Top heater
 - Inverter
- Convenience & Safety**
 - Alarm
 - Electric door
 - Temperature sensor
 - Clock
 - Kitchen timer
 - Ending signal
 - Cavity light
 - Child safety lock



Electronic control

AM8P012AL



Cavity

Painted cavity
 Ø270mm glass turntable

Basic cooking functions

Auto menu: 8
 Defrost by weight
 Defrost by time

Cooking convenience and safety

Kitchen timer
 Add 30 sec
 Cooking end signal
 Child safety lock

Specification

Microwave input (W) : 1250
 Microwave output (W) : 800
 Gross dimensions (WxDxH, mm) : 440 x 332 x 258
 Package dimensions (WxDxH, mm) : 488 x 388 x 291
 Gross weight/Net weight (kg) : 24.6/27.0
 Loading capacity (20'/40'/40'HD) : 570/1150/1300

More options

MM8P012AQ



Mechanical Control

Mechanical control

MM8P012AR



Cavity

Painted cavity
Ø270mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1250
Microwave output(W) : 800
Gross dimensions (WxDxH, mm) : 440 x 332 x 258
Package dimensions (WxDxH, mm) : 488 x 388 x 291
Gross weight/Net weight (kg) : 11.3/10.7
Loading capacity (20'/40'/40'HD) : 570/1150/1300



More options

MM8P012AR



MM8P012AR



Mechanical Control



Mechanical Control

Key-pad control

EM9P022PQ



Cavity

Painted cavity
Ø270mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1400
Microwave output(W) : 900
Gross dimensions (WxDxH, mm) : 473 x 374 x 272
Package dimensions (WxDxH, mm) : 509 x 395 x 296
Loading capacity (20'/40'/40'HD) : 448/952/1224



More options

EM9P022PS



Key-pad Control

Electronic control

AC9P022KE



Cavity

Stainless steel cavity
Ø288mm glass turntable

Basic cooking functions

Auto menu: 10
Defrost by weight
Defrost by time

Cooking convenience and safety

Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1450
Microwave output(W) : 900
Gross dimensions (WxDxH, mm) : 469 x 415 x 280
Package dimensions (WxDxH, mm) : 517 x 456 x 332
Loading capacity (20'/40'/40'HD) : 410/810/919



More options

AC9P022AP



Electronic Control

AM9P022KE



Electronic Control

Electronic control

AC9P02XX



Cavity

Stainless steel cavity
Ø288mm glass turntable

Basic cooking functions


Auto menu: 10
Defrost by weight
Defrost by time

Cooking convenience and safety

Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1450
Microwave output(W) : 900
Gross dimensions (WxDxH, mm) : 469 x 415 x 280
Package dimensions (WxDxH, mm) : 517 x 456 x 332
Loading capacity (20'/40'/40'HD) : 410/810/919



More options

EC9P02XX



Key-pad Control

AC9P022KF



Electronic Control

EG9P022KF



Key-pad Control

Electronic control

AC9P032KP



Cavity

Stainless steel cavity
Ø288mm glass turntable/Flatbed

Basic cooking functions

Auto menu: 10
Defrost by weight
Defrost by time

Cooking convenience and safety

Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1450
Microwave output(W) : 900
Gross dimensions (WxDxH, mm) : 495x 435 x 290
Package dimensions (WxDxH, mm) : 536 x 463 x 318
Loading capacity (20'/40'/40'HD) : 336/700/880



More options

AG9P032KP



AM9P032KP



Electronic control

AC9P032AV



Cavity

Painted or stainless steel cavity
Ø288mm glass turntable

Basic cooking functions

Auto menu: 10
Defrost by weight
Defrost by time

Cooking convenience and safety

Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1450
Microwave output(W) : 900
Gross dimensions (WxDxH, mm) : 495 x 400 x 290
Package dimensions (WxDxH, mm) : 536 x 436 x 318
Loading capacity (20'/40'/40'HD) : 336/700/880



More options

AC9P032DP



EM9P032KQ



Electronic control

ACOP042UP



Cavity

Stainless steel cavity
Ø315mm glass turntable

Basic cooking functions

Auto menu: 10
Defrost by weight
Defrost by time

Cooking convenience and safety

Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1500
Microwave output(W) : 1000
Gross dimensions (WxDxH, mm) : 523 x 443 x 300
Package dimensions (WxDxH, mm) : 579 x 482 x 342
Loading capacity (20'/40'/40'HD) : 264/576/672




More options

AGOP042UP



AMOP042UP







Electronic control

AM720C2BJ



Cavity

Painted cavity
 Ø255mm glass turntable

Basic cooking functions

Auto menu: 8
 Defrost by weight
 Defrost by time

Cooking convenience and safety

Kitchen timer
 Add 30 sec
 Cooking end signal
 Child safety lock

Specification

Microwave input (W) : 1050
 Microwave output (W) : 700
 Gross dimensions (WxDxH, mm) : 440 x 334 x 259
 Package dimensions (WxDxH, mm) : 488 x 380 x 291
 Gross weight/Net weight (kg) : 12.42/11.4
 Loading capacity (20'/40'/40'HD) : 581/1187/1336

More options

AM720C2BJ



Electronic Control

MM720C2AR



Mechanical Control

Electronic control

AM720C2MR



Cavity

Painted cavity
Ø255mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1050
Microwave output (W) : 700
Gross dimensions (WxDxH, mm) : 440 x 346 x 259
Package dimensions (WxDxH, mm) : 488 x 380 x 291
Gross weight/Net weight (kg) : 11.5/10
Loading capacity (20'/40'/40'HD) : 581/1187/1336



More options

MM720C2MR



MM820C2CW



Electronic control

AM720C2AT



Cavity

Painted cavity
Ø255mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1050
Microwave output (W) : 700
Gross dimensions (WxDxH, mm) : 440 x 346 x 259
Package dimensions (WxDxH, mm) : 488 x 380 x 291
Gross weight/Net weight (kg) : 11.5/10
Loading capacity (20'/40'/40'HD) : 581/1187/1336



More options

MM720C2AT



Mechanical control

AM720C2AD



Cavity

Painted cavity
Φ255mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1050
Microwave output (W) : 700
Gross dimensions (WxDxH, mm) : 440 x 346 x 259
Package dimensions (WxDxH, mm) : 488 x 380 x 291
Gross weight/Net weight (kg) : 11.5/10
Loading capacity (20'/40'/40'HD) : 575/1187/1336



More options

MM720C2AS



MM720C2AS



Mechanical Control

Electronic control

AM720C2QR



Cavity

Painted cavity
Φ255mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1050
Microwave output (W) : 700
Gross dimensions (WxDxH, mm) : 440 x 334 x 259
Package dimensions (WxDxH, mm) : 488 x 380 x 291
Gross weight/Net weight (kg) : 12.5/11.4
Loading capacity (20'/40'/40'HD) : 581/1187/1336



More options

AM720C2QR



AM720C2BJ



Electronic Control



Electronic Control

Electronic control

AM720C2MT



Cavity

Painted cavity
Φ255mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1050
Microwave output (W) : 700
Gross dimensions (WxDxH, mm) : 440 x 346 x 259
Package dimensions (WxDxH, mm) : 488 x 380 x 291
Gross weight/Net weight (kg) : 11.5/10
Loading capacity (20'/40'/40'HD) : 581/1187/1336



More options

MM720C2MT



AM720C2MT



Key-pad control

EM720C2SE



Cavity

Painted cavity
Φ255mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1050
Microwave output (W) : 700
Gross dimensions (WxDxH, mm) : 440 x 334 x 259
Package dimensions (WxDxH, mm) : 488 x 380 x 291
Gross weight/Net weight (kg) : 12.5/11.4
Loading capacity (20'/40'/40'HD) : 581/1187/1336



More options

EM720C2GS



EM720C2GX



EM720C2CH



Mechanical control

AM720C2GT



Cavity

Painted cavity
Ø255mm glass turntable

Basic cooking functions

Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1050
Microwave output (W) : 700
Gross dimensions (WxDxH, mm) : 440 x 334 x 259
Package dimensions (WxDxH, mm) : 488 x 380 x 291
Gross weight/Net weight (kg) : 12.5/11.4
Loading capacity (20'/40'/40'HD) : 581/1187/1336



More options

MG720CGN



MM720C2PU



Key-pad control

EM720C2GV



Cavity

Painted cavity
Ø255mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1050
Microwave output (W) : 700
Gross dimensions (WxDxH, mm) : 440 x 340 x 259
Package dimensions (WxDxH, mm) : 488 x 380 x 291
Gross weight/Net weight (kg) : 9.5/10.5
Loading capacity (20'/40'/40'HD) : 581/1187/1336



More options

MM720C2GW



MM720C2GS



MM720C2GX



Key-pad control

EM720C2BU



Cavity

Painted cavity
Φ255mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1050
Microwave output (W) : 700
Gross dimensions (WxDxH, mm) : 440 x 340 x 259
Package dimensions (WxDxH, mm) : 488 x 380 x 291
Gross weight/Net weight (kg) : 9.5/10.5
Loading capacity (20'/40'/40'HD) : 581/1187/1336



More options

MM720C2BU



MM720CBU



EM720CR1



Electronic control

AM720C2AM



Cavity

Painted cavity
Φ255mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1050
Microwave output(W) : 700
Gross dimensions (WxDxH, mm) : 440 x 346 x 259
Package dimensions (WxDxH, mm) : 488 x 380 x 291
Gross weight/Net weight (kg) : 11.5/10
Loading capacity (20'/40'/40'HD) : 581/1187/1336



More options

EM720C2LP



MM720C2LP



Electronic control

AG720CP2



Cavity

Painted cavity
Φ255mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1050
Microwave output (W) : 700
Gross dimensions (WxDxH, mm) : 440 x 334 x 259
Package dimensions (WxDxH, mm) : 488 x 380 x 291
Gross weight/Net weight (kg) : 12.5/11.4
Loading capacity (20'/40'/40'HD) : 581/1187/1336



More options

MM720CP2



Touch control

TM720C2KA



Cavity

Painted cavity
Φ255mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1050
Microwave output (W) : 700
Gross dimensions (WxDxH, mm) : 440 x 334 x 259
Package dimensions (WxDxH, mm) : 488 x 380 x 291
Gross weight/Net weight (kg) : 12.5/11.4
Loading capacity (20'/40'/40'HD) : 581/1187/1336



More options

MM720C2KA



Touch control

TM720C2KR



Cavity

Painted cavity
Φ255mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1050
Microwave output (W) : 700
Gross dimensions (WxDxH, mm) : 440 x 334 x 259
Package dimensions (WxDxH, mm) : 488 x 380 x 291
Gross weight/Net weight (kg) : 12.5/11.4
Loading capacity (20'/40'/40'HD) : 581/1187/1336

More options

AM720C2KR



Key-pad control

EM720C2PS



Cavity

Painted cavity
Φ255mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1050
Microwave output (W) : 700
Gross dimensions (WxDxH, mm) : 440 x 346 x 259
Package dimensions (WxDxH, mm) : 488 x 380 x 291
Gross weight/Net weight (kg) : 11.5/10
Loading capacity (20'/40'/40'HD) : 581/1187/1336

More options

EM720C2CK



EM720C2WT



EM720C2CG



Electronic control

AG820AGN



Cavity

Painted cavity
Ø245mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1250
Microwave output (W) : 800
Gross dimensions (WxDxH, mm) : 462 x 381 x 285
Package dimensions (WxDxH, mm) : 519 x 415 x 329
Gross weight/Net weight (kg) : 13.1/12.0
Loading capacity (20'/40'/40'HD) : 427/859/982

Electronic control

AG820AWC



Cavity

Painted cavity
Ø245mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1250
Microwave output (W) : 800
Gross dimensions (WxDxH, mm) : 462 x 381 x 285
Package dimensions (WxDxH, mm) : 519 x 415 x 329
Gross weight/Net weight (kg) : 13.1/12.0
Loading capacity (20'/40'/40'HD) : 427/859/982

More options

AG820AC5



AG820AWB



Electronic control

AM720KFR



Cavity

Painted cavity
Flatbed

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1150
Microwave output (W) : 700
Gross dimensions (WxDxH, mm) : 459 x 378.4 x 286
Package dimensions (WxDxH, mm) : 509 x 418 x 338
Gross weight/Net weight (kg) : 13.0/11.6
Loading capacity (20'/40'/40'HD) : 366/750/875



Electronic control

AM720K2KA



Cavity

Painted cavity
Flatbed

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1150
Microwave output (W) : 700
Gross dimensions (WxDxH, mm) : 459 x 378.4 x 286
Package dimensions (WxDxH, mm) : 509 x 418 x 338
Gross weight/Net weight (kg) : 13.0/11.6
Loading capacity (20'/40'/40'HD) : 366/750/875



More options

AM8720K19



Electronic Control

Key-pad control

EM923A2JT



Cavity

Painted or stainless steel cavity
 Ø270mm glass turntable

Basic cooking functions

Auto menu: 8
 Defrost by weight
 Defrost by time

Cooking convenience and safety

Kitchen timer
 Add 30 sec
 Cooking end signal
 Child safety lock

Specification

Microwave input (W) : 1350
 Microwave output (W) : 900
 Gross dimensions (WxDxH, mm) : 486 x 406 x 291
 Package dimensions (WxDxH, mm) : 536 x 436 x 330
 Gross weight/Net weight (kg) : 14.7/13.6
 Loading capacity (20'/40'/40'HD) : 391/804/919



More options

EM923A2CJ



EM923A2GU



EM923A2CE



Electronic control

AG823A2EV



Cavity

Painted or stainless steel cavity
 Ø270mm glass turntable

Basic cooking functions

Auto menu: 8
 Defrost by weight
 Defrost by time

Cooking convenience and safety

Kitchen timer
 Add 30 sec
 Cooking end signal
 Child safety lock

Specification

Microwave input (W) : 1250
 Microwave output (W) : 800
 Gross dimensions (WxDxH, mm) : 485 x 408 x 293
 Package dimensions (WxDxH, mm) : 536 x 436 x 328
 Gross weight/Net weight (kg) : 14.7/13.6
 Loading capacity (20'/40'/40'HD) : 391/804/919



More options

AG823AY9



AG823AY8



Electronic control

AM823A2AM



Cavity

Painted cavity
Ø270mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1250
Microwave output (W) : 800
Gross dimensions (WxDxH, mm) : 485 x 405 x 293
Package dimensions (WxDxH, mm) : 536 x 436 x 330
Gross weight/Net weight (kg) : 14/13
Loading capacity (20'/40'/40'HD) : 391/804/919



Touch control

TM823A2KA



Cavity

Painted cavity
Ø270mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1250
Microwave output (W) : 800
Gross dimensions (WxDxH, mm) : 485 x 392 x 293
Package dimensions (WxDxH, mm) : 536 x 415 x 330
Gross weight/Net weight (kg) : 14/13
Loading capacity (20'/40'/40'HD) : 391/804/919



More options

AS823EK7



AG823A2NA



AG823A2AT



Electronic control

AG823A2AP



Cavity

Painted or stainless steel cavity
Glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1250
Microwave output (W) : 800
Gross dimensions (WxDxH, mm) : 486 x 406 x 291
Package dimensions (WxDxH, mm) : 536 x 436 x 330
Gross weight/Net weight (kg) : 14.7/13.6
Loading capacity (20'/40'/40'HD) : 391/804/919



More options

AG823A2AP



AG823A2AP



Electronic control

AC925EGN



Cavity

Enamel cavity
Ø315mm glass turntable

Basic cooking functions


Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1450
Microwave output (W) : 900
Gross dimensions (WxDxH, mm) : 513 x 514 x 310
Package dimensions (WxDxH, mm) : 585 x 555 x 373
Gross weight/Net weight (kg) : 20.3/18.2
Loading capacity (20'/40'/40'HD) : 247/501/583



More options

AC925EBY



AC925E3X



AC925E3A



Touch control

TG925EA5



Cavity

Painted or stainless steel cavity
Φ315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1380
Microwave output (W) : 900 (with inverter)
Gross dimensions (WxDxH, mm) : 513 x 410 x 307
Package dimensions (WxDxH, mm) : 579 x 460 x 362
Gross weight/Net weight (kg) : 12.7/11.3
Loading capacity (20'/40'/40'HD) : 306/618/728



More options

AM925EA1



AM925EA2



Electronic control

AG925E2SA



Cavity

Painted or stainless steel cavity
Φ315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1450
Microwave output (W) : 900
Gross dimensions (WxDxH, mm) : 513 x 410 x 307
Package dimensions (WxDxH, mm) : 579 x 460 x 362
Gross weight/Net weight (kg) : 17.3/15.6
Loading capacity (20'/40'/40'HD) : 306/618/728



More options

EG925E2AK



Electronic control

AG928EY7



Cavity

Painted or stainless steel cavity
Ø315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1450
Microwave output (W) : 900
Gross dimensions (WxDxH, mm) : 513 x 422 x 307
Package dimensions (WxDxH, mm) : 579 x 460 x 362
Gross weight/Net weight (kg) : 17.3/15.2
Loading capacity (20'/40'/40'HD) : 264/528/616

Key-pad control

EM025E2CE



Cavity

Stainless steel cavity
Ø315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1500
Microwave output (W) : 1000
Gross dimensions (WxDxH, mm) : 513 x 416 x 307
Package dimensions (WxDxH, mm) : 579 x 460 x 362
Gross weight/Net weight (kg) : 16.1/14.4
Loading capacity (20'/40'/40'HD) : 306/624/728

Electronic control

AC928A2CA



Cavity

Painted or stainless steel cavity
Ø315mm glass turntable

Basic cooking functions

Auto menu: 10
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1450
Microwave output (W) : 900
Gross dimensions (WxDxH, mm) : 520 x 508 x 326
Package dimensions (WxDxH, mm) : 583 x 544 x 382
Gross weight/Net weight (kg) : 20.7/18.5
Loading capacity (20'/40'/40'HD) : 239/523/611



More options

AC928A2AJ



Key-pad control

EC028A2CM



Cavity

Stainless steel cavity
Ø315mm glass turntable

Basic cooking functions


Auto menu: 19
Defrost by weight
Defrost by time

Cooking convenience and safety

Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1500
Microwave output (W) : 1000
Gross dimensions (WxDxH, mm) : 520 x 508 x 326
Package dimensions (WxDxH, mm) : 583 x 544 x 382
Gross weight/Net weight (kg) : 18.5/20.9
Loading capacity (20'/40'/40'HD) : 239/523/611



More options

AC928AY7



AC928AA4



AC928AS3





Key-pad control

TM125E2KS



Cavity

Stainless steel cavity
Ø315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1500
Microwave output (W) : 1100
Gross dimensions (WxDxH, mm) : 513 x 403 x 307
Package dimensions (WxDxH, mm) : 579 x 460 x 362
Gross weight/Net weight (kg) : 16.1/14.4
Loading capacity (20'/40'/40'HD) : 306/624/728

Key-pad control

EG034AJ1



Cavity

Painted or stainless steel cavity
Ø315mm glass turntable

Basic cooking functions


Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1450
Microwave output (W) : 1000
Gross dimensions (WxDxH, mm) : 519 x 449 x 315
Package dimensions (WxDxH, mm) : 586 x 507 x 378
Gross weight/Net weight (kg) : 17.8/15.8
Loading capacity (20'/40'/40'HD) : 258/534/622



Touch control

TC034A2LX



Cavity

Stainless steel cavity
Ø315mm glass turntable

Basic cooking functions

Auto menu: 19
Defrost by weight
Defrost by time

Cooking convenience and safety

Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1500
Microwave output (W) : 1000
Gross dimensions (WxDxH, mm) : 520 x 520 x 327
Package dimensions (WxDxH, mm) : 586 x 564 x 401
Gross weight/Net weight (kg) : 22.2/19.4
Loading capacity (20'/40'/40'HD) : 200/456/498



More options

EG034AJ2



EM034AFK



TC034A2LX



AC034A2LA



Electronic control

AG034A2SC



Cavity

Stainless steel cavity
Ø315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety


Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1500
Microwave output (W) : 1000
Gross dimensions (WxDxH, mm) : 519 x 521 x 315
Package dimensions (WxDxH, mm) : 583 x 544 x 382
Gross weight/Net weight (kg) : 21.5/19
Loading capacity (20'/40'/40'HD) : 239/523/611

Key-pad control

EG034AL7



Cavity

Stainless steel cavity
Ø315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1500
Microwave output (W) : 1000
Gross dimensions (WxDxH, mm) : 519 x 521 x 315
Package dimensions (WxDxH, mm) : 583 x 544 x 382
Gross weight/Net weight (kg) : 21.5/19
Loading capacity (20'/40'/40'HD) : 239/523/611

More options

EM034A2SC



Electronic control

AC034AB5



Cavity

Stainless steel cavity
Ø315mm glass turntable

Basic cooking functions

Auto menu: 10
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1550
Microwave output (W) : 1000
Gross dimensions (WxDxH, mm) : 519 x 490 x 314
Package dimensions (WxDxH, mm) : 583 x 544 x 382
Gross weight/Net weight (kg) : 21/18.5
Loading capacity (20'/40'/40'HD) : 262/569/665



Key-pad control Electronic control

AG034AR3



Cavity

Stainless steel cavity
Ø315mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1550
Microwave output (W) : 1000
Gross dimensions (WxDxH, mm) : 519 x 428 x 314
Package dimensions (WxDxH, mm) : 586 x 507 x 378
Gross weight/Net weight (kg) : 18.5/16.5
Loading capacity (20'/40'/40'HD) : 262/569/665



More options

AG034AB6



Electronic Control

Key-pad control

EC042A2KJ



Cavity

Stainless steel cavity
Ø345mm glass turntable

Basic cooking functions

Auto menu: 19
Defrost by weight
Defrost by time

Cooking convenience and safety

Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1600
Microwave output (W) : 1000
Gross dimensions (WxDxH, mm) : 553 x 507 x 331
Package dimensions (WxDxH, mm) : 619 x 582 x 383
Gross weight/Net weight (kg) : 23/20.6
Loading capacity (20'/40'/40'HD) : 216/456/516



Key-pad control

EM142AAK



Cavity

Painted or stainless steel cavity
Ø345mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1550
Microwave output (W) : 1100
Gross dimensions (WxDxH, mm) : 553 x 487 x 327
Package dimensions (WxDxH, mm) : 619 x 521 x 381
Gross weight/Net weight (kg) : 18.5/16.7
Loading capacity (20'/40'/40'HD) : 240/492/574



More options

EG142A5L



EC042AK1



Key-pad control

EM262A5D



Cavity

Painted cavity
Ø345mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1700
Microwave output (W) : 1200
Gross dimensions (WxDxH, mm) : 620 x 498 x 346
Package dimensions (WxDxH, mm) : 679 x 571 x 410
Gross weight/Net weight (kg) : 22.5/20.2
Loading capacity (20'/40'/40'HD) : 165/345/414

Key-pad control

EM162A2MY



Cavity

Painted cavity
Ø420mm glass turntable

Basic cooking functions

Auto menu: 8
Defrost by weight
Defrost by time

Cooking convenience and safety

Kitchen timer
Add 30 sec
Cooking end signal
Child safety lock

Specification

Microwave input (W) : 1650
Microwave output (W) : 1100
Gross dimensions (WxDxH, mm) : 620 x 498 x 346
Package dimensions (WxDxH, mm) : 679 x 571 x 410
Gross weight/Net weight (kg) : 22.5/19.9
Loading capacity (20'/40'/40'HD) : 165/345/414

More options

EM162AMY

